

# **Quest Diagnostics**

# Clinical Drug Monitoring

Quest Diagnostics is a trusted laboratory committed to providing responsible, cost-conscious clinical drug monitoring services for pain specialists.

Our approach, tools, and technologies help minimize overtesting.

We efficiently deliver insights that can help you and your patients make more informed decisions.



A trusted leader in diagnostic testing for more than 50 years



State-of-the-art testing with enhanced sensitivity



MDs, PhDs, and toxicologists to help with results interpretation



Comprehensive, state-of-the-art test menu

### Meeting the needs of pain specialists

Quest Diagnostics offers a clinical drug monitoring solution that addresses the needs of pain specialists:

- Fast turnaround time to facilitate timely insights
- Clinical drug testing to monitor patients for adherence to a medication regimen
- Insights that help identify dangerous drug combinations such as opioids + benzodiazepines + alcohol
- Broad presumptive test offerings to quickly rule out multiple drug classes before conducting definitive tests
- Definitive testing for confirmation of positive presumptive results and for testing where presumptive tests are not available

We deliver information that broadens diagnostic insights and brings them to the fight against the drug misuse epidemic. Working together, we can help ensure your patients get access to the care they need.

# One lab provider for all your testing needs

- A comprehensive portfolio of drug tests to identify the presence of prescribed, nonprescribed, and illicit drugs
- A broad menu of more than 3,500 tests that spans the continuum of care, including liver and renal function, nutritional markers, thyroid and other hormones, and infectious disease
- Oral fluid as an alternative to urine




# State-of-the-art technologies for accurate, reliable testing

- Presumptive: enhanced immunoassay sensitivity, with lower cutoff values to better detect benzodiazepines and opioids
- Definitive: liquid chromatography coupled with mass spectrometry (LC-MS/MS)

#### A drug testing company that's easy to work with

- Seamlessly integrate with over 800 EHRs to help drive efficiency
- Quanum® for Healthcare Professionals helps deliver more efficient patient care, foster better interactions with patients, and reduce the practice workload
  - Lab test ordering in just 3 clicks
  - Easy order tracking
  - Schedule courier specimen pickup online
- Easy-to-read physician and patient reports





## Balancing care with the cost of clinical drug monitoring

We believe good clinical care should be balanced by cost control.

Presumptive tests can be performed on multiple drug classes before reflexing to the more costly definitive tests to confirm presumptive-positive or unexpected presumptive-negative results. This 2-step testing process has the potential to balance clinical care with cost control.<sup>1,2</sup>

We're in-network for >92% of lives nationwide and have preferred lab network status with major health plans. In addition, we offer financial assistance programs to qualified patients to help keep patients' costs low.

### Clinical Drug Monitoring test list

Quest Diagnostics offers a comprehensive menu of tests for prescription, illicit, and designer drugs.

Our flexible testing solutions let you choose the right test for each patient. We offer:

- Presumptive testing
- Presumptive with reflex to definitive testing
- · Definitive testing

#### Our broad test menu covers the following drugs and drug metabolites:

Alcohol Metabolites (EtG, EtS)
Alcohol Biomarkers (PEth)
Amphetamines
Amphetamines
with Reflex d/l Isomers
Antidepressants
Antipsychotics (urine)
Antipsychotics (serum)
Barbituates

Benzodiazepines
Buprenorphine with Naloxone
Carisoprodol

Cocaine Metabolite

Eszopiclone
Fentanyl
Gabapentin
Heroin Metabolite
Marijuana Metabolite
MDMA/MDA
Meperidine
Methadone Metabolite
Methamphetamine d/l Isomers
Methylphenidate
Mitragynine
Naltrexone

Oxycodone
Phencyclidine
Pregabalin
Propoxyphene
Synthetic Cannabinoids
Synthetic Stimulants
Tapentadol
Tramadol

**Tricyclic Antidepressants** 

Zolpidem are detected in a specimen.

Quarterly Trending Reports

## Presumptive testing: comparing options

**Opiates** 

Presumptive drug tests are used to identify possible use or non-use of a drug or a drug class. Examples of presumptive testing include laboratory instrument chemistry immunoassays (IA) and analyzers, as well as point of care (POC) devices.<sup>2</sup> Below are key differences between POC devices and laboratory IA methods.

#### **POC** presumptive tests

- POC tests are inexpensive and produce results within minutes
- POC presumptive devices are typically limited by high cutoff values that cannot be modified to enhance detection of commonly used substances, such as benzodiazepines and opiates<sup>2,3</sup>
- POC methodology exhibits variable sensitivity and specificity across drug class<sup>1,2</sup>

#### Quest laboratory IA presumptive tests

 Our laboratory presumptive IA methods have been modified with lower cutoff values to enhance sensitivity and better identify commonly used drug classes, such as benzodiazepines and opioids<sup>2</sup>


# At-a-glance interpretation of drug test results



When you order a drug test, you can select the medMATCH® test option. Our medMATCH reports indicate whether the prescribed drug(s), as specified by the ordering provider, or other drugs are detected in a specimen.

quarterly **Irending Reports** give you a summary of your practice's positivity.





# Take advantage of our **medMATCH**® **reports**

Our medMATCH® reports are designed to provide actionable insights with the goal of "at-a-glance" interpretation. The reports provide a summary of your patient's consistent and inconsistent results for prescribed drugs, and also include reporting on nonprescribed, inconsistent drugs. This allows you to have a complete view of drugs that your patient is taking, address any noncompliance issues, and alerts you of any potential drug misuse or dangerous drug combinations.

medMATCH reports offer providers an intuitive, streamlined process from ordering to the delivery of the final report.

Legend	medMATCH Summary medMATCH indicates presence or absence of prescribed and non prescribed drugs. Prescribed drugs are provided by the ordering clinician.				
✓ = Consistent  Prescribed Consistent  Drugs prescribed and detected		Prescribed Inconsistent Drugs prescribed but not detected		lot Prescribed Inconsistent rugs detected but not prescribed	
X = Inconsistent ♦ = Prescribed	✓= Buprenorphine Nalox	×= Gabapentin	×	= Ethyl Sulfate (ETS)	
Prescriptions reported by client with no testing ordered:		Zolpidem			
RUG MONITORING	3, PANEL 8 WITH CONFIRMATION, URINE	•		IG	
Alcohol Metabolites		POSITIVE	500 ng/mL		
Ethyl Glucuronide (ETG)		NEGATIVE	500 ng/mL	•	
Ethyl Sulfate (ETS)		100	100 ng/mL	× INCONSISTENT	
Alcoh	nol Metab Comments: See Alcohol Me	etab Notes, LDT Notes			
Amphetamines		NEGATIVE	500 ng/mL	500 ng/mL	
Benzodiazepines		NEGATIVE	100 ng/mL	100 ng/mL	
Buprenorphine		POSITIVE	5 ng/mL	5 ng/mL	
♦ Buprenorphine		101	2 ng/mL	✓ CONSISTENT	
◆ Norbuprenorphine		105	2 ng/mL	✓ CONSISTENT	
♦ Naloxone		110	2 ng/mL	✓ CONSISTENT •	

medMATCH Summary expanded to 3 categories

Alerts clinician to non-tested prescription drugs

Inconsistent results are flagged

Drug-class-specific notes and lab-developed test (LDT) notes are consolidated and listed at the end of report

Consistent results for prescribed drugs are flagged

#### Quantisal® oral collection device:

fast, convenient specimen collection

Quest Diagnostics knows that having options when monitoring for use (or non-use) of drugs is beneficial to you and your patients. For those situations when urine collection is not practical or observed collection is needed—oral fluid collection is a convenient and effective alternative.

Quantisal® oral fluid collection typically takes about 5 minutes, reducing time in the office and improving convenience.

- Volume indicator window ensures enough specimen for screening, confirmation, and repeat testing
- Convenient collection and fast turnaround time
- Optimal for observed collection



## Drug toxicology consultation

Our experts are available by phone:

- **Drug monitoring menu, options, and services**—discuss test selection, sample requirements, and whether or not to choose medMATCH
- Drug monitoring results inquiries and interpretation—discuss basic results interpretation, consider adding additional substances to the test, or request repeats
- Drug monitoring consultation scheduling—schedule a call with appropriate experts on more complex questions



1.877.40.RXTOX (1.877.407.9869) | Monday-Friday, 8:00 AM-10:00 PM EST

# Learn more by talking with your sales representative or visit **QuestDrugMonitoring.com.**

#### References

- 2. Kirsh KL, Heit HA, Huskey A, et al.Trends in drug use from urine drug testing of addiction treatment clients. *J Opioid Manag.* 2015:11(1):61-68. doi:10.5055/jom.2015.0253
- 3. Hurford M, Cohen P, Giles L, et al. Consensus statement: appropriate use of drug testing in clinical addiction medicine. American Society of Addiction Medicine. Published April 5, 2017. Accessed September 8, 2021. https://www.asam.org/docs/default-source/quality-science/the-asam-appropriate-use-of-drug-testing-in-clinical-addiction-medicine-full-document.pdf?Status=Temp&sfvrsn=700a7bc2\_2

Image content features models and is intended for illustrative purposes only.

#### QuestDiagnostics.com

Quest, Quest Diagnostics, any associated logos, and all associated Quest Diagnostics registered or unregistered trademarks are the property of Quest Diagnostics. All third-party marks—

and —are the property of their respective owners.

See 2023 Quest Diagnostics Incorporated. All rights reserved. SB7870 5/2023



