


Comprehensive laboratory testing for the screening, prevention, and management of HIV

Diagnostic solutions to help drive better outcomes



Comprehensive testing menu to support every step in the care continuum



 Identifying HIV early to maximize treatment options

HIV infection

- The Centers for Disease
 Control (CDC) recommends
 screening all patients age
 13-65 for HIV at least once,
 regardless of their risk level,
 using an opt-out approach¹
- Immune status and viral load monitoring

HIV management

- Antiretroviral therapy (ART) selection, drug resistance, and tropism
- Identify coinfections with other blood-borne pathogens (eg, HBV, HCV)
- Flexible testing menu tailored to patients' unique needs
- Billing and reimbursement challenges mitigated by test naming and coding

Diagnostic screening for every adult patient

The appropriate testing can help prevent transmission and improve outcomes

The CDC and HIV.gov recommend the following screenings for HIV:



One-time testing is recommended for all individuals age 13–65²



People engaging in risky behaviors **should get tested at least once every year**³

Screening everyone helps patients:

Make informed decisions

Combat spread of the disease

Seek treatment sooner

Take advantage of preventive measures that help limit the transmission of infection

Quest Diagnostics offers a comprehensive set of HIV screening and diagnostic tools for every adult in your practice so you can help your patients make confident, informed decisions wherever they are in the care continuum, from routine screening to treatment monitoring.



CDC recommends
4th generation antigen/antibody
assays for detection, diagnosis⁴

Every adult can benefit from following CDC guidelines for HIV screening and monitoring⁵

HIV screening options

Test code	Test name	Use case
91431	HIV-1/2 Antigen and Antibodies, Fourth Generation, with Reflexes	Helps diagnose HIV-1 and HIV-2 infection, including acute infection, and differentiate HIV-1 from HIV-2
14312	HIV-1 and HIV-2 RNA, Qualitative, Real-Time PCR	Detects HIV-1 RNA in human serum and plasma by PCR as an aid in diagnosis of HIV-1 infection
8401	HIV-1 DNA, Qualitative, PCR	For use in conjunction with clinical presentation and other laboratory markers of disease progress in the clinical management of patients infected with HIV-1



Caring for the patient with HIV

Quest provides the full array of testing to help guide every step of the care continuum

Determining immune status and viral load⁶

CD4+ T-cell count is the most valuable indicator of immune status and predictor of disease progression and survival in patients who test HIV-positive. CD4 counts should be measured at diagnosis and monitored every 3-6 months in patients who do not immediately start antiretroviral therapy (ART).

HIV-1 viral load also helps determine risk of disease progression, informs treatment selection, and provides a baseline for assessing treatment response.

Once ART is initiated, HIV viral load is an important indicator of therapeutic efficacy.

For those who have tested HIV-positive and completed 6 months or more of antiretroviral treatment, testing can help determine when their viral load reaches the point where there is no longer risk of transmission.

HIV—If someone is on effective treatment they can't pass it on.⁷





Achieve and maintain an undetectable viral load and prevent further transmission⁸

HIV care testing options^a

Test code	Test name	Use case		
Immune status and viral load monitoring				
40085	HIV-1 RNA, Quantitative, Real-Time PCR	For the clinical management of patients with HIV-1 infection as an aid in assessing prognosis and monitoring the effects of antiretroviral therapy		
8360	Lymphocyte Subset Panel 5 includes % CD4, absolute CD4+ cells, absolute lymphocytes	For establishing baseline CD4 level, monitoring treatment progress, and to facilitate differential diagnoses between congenital and acquired immunodeficiency diseases		
Selecting and adapting ART				
91691	HIV-1 RNA, Quantitative, Real-Time PCR with Reflex to Genotype (RTI, PI, Integrase)	For monitoring viral load in patients undergoing antiretroviral therapy and with automatic reflex to drug resistance testing in patients failing to achieve or maintain virologic suppression		
94807	HIV-1 Resistance, Proviral DNA (RTI, PI, Integrase inhibitors)	For detecting drug-resistant mutations in virologically suppressed patients and assisting in modification of treatment regimens		
91692	HIV-1, Genotype (RTI, PI, Integrase inhibitors)	For detecting drug-resistant-associated mutations to reverse transcriptase, protease, and integrase genes		
34949	HIV-1 Genotype	For identifying drug-resistant mutations to predict antiretroviral drug resistance before initiation of therapy and managing patients experiencing virologic failure while on therapy		
16868	HIV-1 Integrase Genotype	For detecting drug-resistant-associated mutations in integrase genes		
94014	HIV-1 Coreceptor Tropism, Ultradeep Sequencing	For determining eligibility for treatment with CCR-5 antagonists		
91299	HIV-1 Coreceptor Tropism, Proviral DNA	For determining eligibility for treatment with CCR-5 antagonists in patients who are virologically suppressed		
19774	HLA-B*5701 Typing	Assess risk of abacavir hypersensitivity reaction		

 $^{^{\}rm a}$ For Quest's full menu offering of HIV tests, please see the online test directory.


Diagnostic testing solutions

that support a pathway to pre-exposure prophylaxis (PrEP)

Our HIV PrEP test offerings include all the most recent CDC guideline-recommended tests to determine clinical eligibility and to monitor patients while they are on PrEP. Our flexible menu makes testing simple to meet your patients' needs.

The Quest PrEP testing difference

- Flexible testing options so you can choose the right test based on your patients' unique requirements
- Billing and reimbursement challenges are mitigated by our updated menu offering
- Gender-inclusive testing language designed to cater to all your patients, regardless of gender
- Accessible testing options with approximately 2,400 patient service centers and in-office phlebotomists to help patients get the tests they need, when they need them



Test code	Test name	Use case
13590	PrEP HIV-1/2 Antigen and Antibodies, Fourth Generation, Screen and HIV-1 RNA	For clinician determination of HIV status in patients with recent or ongoing antiretroviral prophylaxis use
13595	PrEP HIV-1/2 Antigen/Antibodies, 4th Generation, Reflex to Differentiation	For clinician determination of HIV status in patients without recent or ongoing antiretroviral prophylaxis use who are considering initiating PrEP
13600	PrEP HIV-1 RNA, Qualitative Real-Time PCR	For use as part of a multistep algorithm for determination of HIV status in patients being considered for PrEP with likely HIV exposure but negative or indeterminate HIV antibody results
13670	PrEP HIV-1/2 Antigen and Antibodies, Fourth Generation, with Reflexes	For diagnosis of HIV-1 and HIV-2 infection, including acute infection, and to differentiate HIV-1 from HIV-2 in patients who have not taken HIV PrEP
13660	PrEP HBV Triple Screen Panel with Reflexes includes HBV Surface Antigen with Reflex Confirmation; HBV Core Antibody, Total, with Reflex to IgM; HBV Surface Antibody, Quantitative	For screening for HBV in patients who are considering taking or currently taking HIV PrEP
13667	PrEP Hepatitis C Antibody with Reflex to HCV, RNA, Real-Time PCR	For screening for HBC in patients who are considering taking or currently taking HIV PrEP
13698	PrEP RPR (Diagnosis) with Reflex Titer and Treponema pallidum Antibody, IA	As part of a screening regimen for STIs in patients who are considering taking or currently taking HIV PrEP
13701	PrEP Chlamydia/Neisseria gonorrhoeae RNA, TMA, Urogenital	As part of a screening regimen for STIs in patients who are considering taking or currently taking HIV PrEP
13697	PrEP Creatinine	For evaluating kidney function in patients who are considering taking or currently taking HIV PrEP
13696	PrEP hCG, Total, Quantitative	As part of an overall screening regimen for patients who are considering taking or currently taking HIV PrEP
70051	Chlamydia/Neisseria gonorrhoeae RNA, TMA, Throat	As part of a screening regimen for STIs that may infect the oral/pharyngeal cavity of sexually active individuals
16506	Chlamydia/Neisseria gonorrhoeae RNA, TMA, Rectal	As part of a screening regimen for STIs that may infect the anal/rectal canal of sexually active individuals





The benefits of teaming with the largest provider

of diagnostic testing insights and information services

- Guideline-based solutions driven by industry-leading expertise and investment
- Medical and scientific support from Quest's extensive team of MDs, PhDs, and other diagnostics experts
- Quanum® online lab services to simplify ordering with enhanced results, transparent pricing, and billing support on phone or laptop
- In-network access with most private insurance plans, Medicare, and Medicaid, which helps to minimize billing and reimbursement challenges
- Financial assistance programs available to eligible persons when affordability is a barrier to appropriate care
- Convenient sample collection at 2,400 Patient Service Centers across the US or performed by in-office phlebotomists



Learn more. Talk to your **Quest sales representative** or visit **QuestHIVTesting.com**



References

- $1.\,HIV.gov.\,US\,Statistics.\,Updated\,August\,15,\,2024.\,Accessed\,December\,19,\,2024.\,https://www.hiv.gov/hiv-basics/overview/data-and-trends/statistics.\,HIV.gov.\,US\,Statistics.\,Updated\,August\,15,\,2024.\,Accessed\,December\,19,\,2024.\,https://www.hiv.gov/hiv-basics/overview/data-and-trends/statistics.\,HIV.gov.\,US\,Statistics.\,Updated\,August\,15,\,2024.\,Accessed\,December\,19,\,2024.\,https://www.hiv.gov/hiv-basics/overview/data-and-trends/statistics.\,HIV.gov.\,US\,Statistics.\,HIV.gov.\,US\,Statistics.\,HIV.gov.\,US\,Statistics.\,HIV.gov.\,US\,Statistics.\,HIV.gov.\,US\,Statistics.\,HIV.gov.\,US\,Statistics.\,HIV.gov.\,HIV.$
- $2.\,CDC.\,Clinical\,testing\,guidance\,for\,HIV.\,Updated\,September\,10,\,2024.\,Accessed\,November\,15,\,2024.\,https://www.cdc.gov/hivnexus/hcp/diagnosis-testing/index.html$
- 4. Branson BM, Owen SM, Wesolowski LG, et al. Laboratory testing for the diagnosis of HIV infection: updated recommendations. Centers for Disease Control and Prevention. doi:10.15620/cdc.23447
- 5. Etami Y, Zaheer MA, Marcus JL, Calabrese SK. Accuracy of HIV risk-related information and inclusion of undetectable=untransmittable, pre-exposure prophylaxis, and post-exposure prophylaxis on US Health Department websites. AIDS Patient Care STDs. 2023;37(9):425-427. doi:10.1089/apc.2023.0150
- 6. Panel on Antiretroviral Guidelines for Adults and Adolescents. Guidelines for the Use of Antiretroviral Agents in Adults and Adolescents with HIV. Department of Health and Human Services. Updated September 21, 2022. Accessed October 7, 2024. https://clinicalinfo.hiv.gov/sites/default/files/guidelines/documents/adult-adolescent-arv/guidelines-adult-adolescent-adult-adolescent-arv/guidelines-adult-adolescent-adult-adolescent-adult-adolescent-adult-adolescent-adult-adolescent-adult-adolescent-adult-adolescent-adult-adolescent-adult-adolescent-adult-adolescent-adult-adolescent-adult-adolescent-adult-adolescent-adult-adolescent-adult-adolescent-adult-adolescent-ad
- 7. CDC. Undetectable = untransmittable. Updated August 19, 2024. Accessed November 19, 2024. https://www.cdc.gov/global-hiv-tb/php/our-approach/undetectable-untransmittable.html
- $8.\,CDC.\,Clinical\,care\,of\,HIV.\,Updated\,April\,24,\,2024.\,Accessed\,November\,26,\,2024.\,https://www.cdc.gov/hivnexus/hcp/clinical-care/index.html$
- $9. \, National \, Institutes \, of \, Health. \, Pre-Exposure \, Prophylaxis \, (PrEP). \, Updated \, December \, 11, 2023. \, Accessed \, December \, 19, 2024. \, https://hivinfo.nih.gov/understanding-hiv/fact-sheets/pre-exposure-prophylaxis-preperation-pro$

Test codes may vary by location. Please contact your local laboratory for more information. Image content features models and is intended for illustrative purposes only.

QuestDiagnostics.com

Quest®, Quest Diagnostics®, any associated logos, and all associated Quest Diagnostics registered or unregistered trademarks are the property of Quest Diagnostics. All third-party marks—® and ™—are the property of their respective owners. © 2025 Quest Diagnostics Incorporated. All rights reserved. SB6659 6/2025