

RHEUMATOLOGY ICD-10 CROSSWALK

ICD is revised periodically and is currently in its tenth edition and will be implemented in the United States on October 1, 2015. There is an annual minor update and three-yearly major updates are published by the WHO. A list of top commonly used diagnosis codes in rheumatology are listed below as a supplementary tool to the official ICD-10 manual and should not be used independently.

ICD-9 Code and Description	ICD-10 Code Mapping	Related ICD-10 Codes	ICD-10 Guidelines
136.1 Behçet's syndrome	M35.2 Behçet's syndrome		
274.00 Gouty arthropathy, unspecified 274.01 Acute gouty arthropathy	M10.09 Idiopathic gout, multiple sites	M10.01 (1,2,9) Idiopathic gout, shoulder M10.02 (1,2,9) Idiopathic gout, elbow M10.03 (1,2,9) Idiopathic gout, wrist M10.04 (1,2,9) Idiopathic gout, hand M10.05 (1,2,9) Idiopathic gout, hip M10.06 (1,2,9) Idiopathic gout, knee M10.07 (1,2,9) Idiopathic gout, ankle and foot M10.08 Idiopathic gout, vertebrae	Excludes 1: Chronic gout (M1A.-) ICD-10 rules for Excludes 1 codes indicates that this is a mutually exclusive code; two conditions that cannot be reported together.
274.02 Chronic gouty arthropathy w/o mention of tophus 274.03 Chronic gouty arthropathy with tophus	M1A.09X0 Idiopathic chronic gout, multiple sites, w/o tophus M1A.09X1 Idiopathic chronic gout, multiple sites, with tophus	M1A.01(1,2,9) Idiopathic chronic gout, shoulder M1A.02(1,2,9) Idiopathic chronic gout, elbow M1A.03(1,2,9) Idiopathic chronic gout, wrist M1A.04(1,2,9) Idiopathic chronic gout, hand M1A.05(1,2,9) Idiopathic chronic gout, hip M1A.06(1,2,9) Idiopathic chronic gout, knee M1A.07(1,2,9) Idiopathic chronic gout, ankle and foot M1A.08 Idiopathic chronic gout, vertebrae	Excludes 1: Acute gout (M10.-) The appropriate 7th character is to be added to each code from category M1A



ICD-9 Code and Description	ICD-10 Code Mapping	Related ICD-10 Codes	CD-10 Guidelines
443.0 Raynaud's syndrome	I73.00 Raynaud's syndrome <u>without</u> gangrene I73.01 Raynaud's syndrome <u>with</u> gangrene		
447.6 Unspecified Arteritis	I77.6 Arteritis, unspecified		Excludes 1: Arteritis or endarteritis
696.0 Psoriatic arthropathy	L40.53 Psoriatic spondylitis		
710.0 Systemic lupus erythematosus	M32.10 Systemic lupus erythematosus, organ or system involvement unspecified	M32.9 Systemic lupus erythematosus, unspecified —SLE NOS —Systemic lupus erythematosus NOS —Systemic lupus erythematosus without organ involvement	
710.1 Systemic sclerosis	M34.81 Systemic sclerosis with lung involvement M34.82 Systemic sclerosis with myopathy M34.83 Systemic with polyneuropathy	M34.89 Other systemic sclerosis	Excludes 1: Circumscribed scleroderma (L94.0)
710.2 Sicca syndrome	M35.00 Sicca syndrome	M35.02 Sicca syndrome with lung involvement M35.03 Sicca syndrome, with myopathy M35.09 Sicca syndrome with other organ involvement	
714.0 Rheumatoid arthritis	M05.79 Rheumatoid arthritis with rheumatoid factor of multiple sites without organ or systems involvement	M05.89 Other rheumatoid arthritis with rheumatoid factor of multiple sites	Anatomical site: Shoulder - 1 Elbow - 2 Wrist - 3 Hand - 4 Hip - 5 Knee - 6 Ankle and foot - 7 Vertebrae - 8 Laterality: Right - 1 Left - 2

ICD-9 Code and Description	ICD-10 Code Mapping	Related ICD-10 Codes	ICD-10 Guidelines
714.0 Rheumatoid arthritis	M06.09 Rheumatoid arthritis <u>without</u> rheumatoid factor, multiple sites	M06.89 Other specified rheumatoid arthritis, multiple sites	<p>Anatomical site: Shoulder - 1 Elbow - 2 Wrist - 3 Hand - 4 Hip - 5 Knee- 6 Ankle and foot - 7 Vertebrae - 8</p> <p>Laterality: Right - 1 Left - 2</p>
714.30 Polyarticular juvenile RA chronic or unspecified	<p>M08.09 Unspecified juvenile rheumatoid arthritis of multiple sites</p> <p>M08.3 Juvenile rheumatoid polyarthritis (seronegative)</p>	<p>M08.29 Juvenile rheumatoid arthritis with systemic onset, multiple sites</p> <p>M08.89 Other juvenile arthritis, multiple sites</p> <p>M08.99 Juvenile arthritis, unspecified, multiple sites</p>	<p>Excludes 1: Arthropathy in Whipple's disease (M14.8) Felty's syndrome (M05.0) Juvenile dermatomyositis (M33.0_) Psoriatic juvenile arthropathy (L40.54)</p> <p>Anatomical site: Shoulder - 1 Elbow - 2 Wrist - 3 Hand - 4 Hip - 5 Knee- 6 Ankle and foot - 7 Vertebrae - 8</p> <p>Laterality: Right - 1 Left - 2</p>
714.9 Unspecified inflammatory polyarthropathies other	M06.4 Inflammatory polyarthropathy		Excludes 1: Polyarthritis NOS (M13.0)
715.05 - 715.95 Osteoarthritis of hip	<p>M16.1 Unilateral primary osteoarthritis of hip</p> <p>M16.3 Unilateral resulting from hip dysplasia</p> <p>M16.5 Unilateral post-traumatic osteoarthritis of hip</p> <p>M16.7 Other unilateral secondary osteoarthritis of hip</p>	<p>M16.0 Bilateral primary osteoarthritis of hip</p> <p>M16.4 Bilateral post-traumatic of hip</p> <p>M16.6 Other bilateral secondary osteoarthritis of hip</p>	Excludes 1: Bilateral involvement of single joint (M16-M19)



ICD-9 Code and Description	ICD-10 Code Mapping	Related ICD-10 Codes	ICD-10 Guidelines
<p>715.9_ Osteoarthritis unspecified whether generalized or localized [0-8]</p>	<p>M19.0_ Primary osteoarthritis of other joints M19.1_ Post-traumatic osteoarthritis of other joints M19.2_ Secondary osteoarthritis of other joints</p>		<p>Excludes 1: Polyarthritis (M15._)</p> <p>Excludes 2: Arthrosis of spine (M47._) Hallux rigidus (M20.2) Osteoarthritis of spine (M47.1_)</p> <p>Laterality: Shoulder - 1 Elbow - 2 Wrist - 3 Hand - 4 Ankle and foot - 7</p>
<p>715.06 - 715.96 Osteoarthritis of knee</p>	<p>M17.1 Unilateral primary osteoarthritis of knee M17.3 Unilateral post-traumatic osteoarthritis of knee M17.5 Other unilateral secondary osteoarthritis of knee</p>	<p>M17.0 Bilateral primary osteoarthritis of knee M17.2 Bilateral post-traumatic osteoarthritis of knee M17.4 Other bilateral secondary osteoarthritis of knee</p>	<p>Excludes 1: Bilateral involvement of single joint (M16-M19)</p>
<p>715.04 - 715.94 Osteoarthritis of hand</p>	<p>M18.1 Unilateral primary osteoarthritis of first carpometacarpal joint M18.3 Unilateral post-traumatic osteoarthritis of first carpometacarpal joint M18.5 Other unilateral secondary osteoarthritis of first carpometacarpal joints</p>	<p>M18.0 Bilateral primary of first carpometacarpal joints M18.2 Bilateral post-traumatic osteoarthritis of first carpometacarpal joints M18.4 Other bilateral secondary osteoarthritis of first carpometacarpal joints</p>	<p>Excludes 1: Bilateral involvement of single joint (M16-M19)</p>
<p>715.0 - 715.9 Osteoarthritis [1,-4,7]</p>	<p>M19.0 Primary osteoarthritis of other joints M19.1 Post-traumatic osteoarthritis of other joints M19.2 Secondary osteoarthritis of other joints</p>		<p>Excludes 1: Polyarthritis (M15._)</p> <p>Excludes 2: Arthrosis of spine (M47._) Hallux rigidus (M20.2) Osteoarthritis of spine (M47.1_)</p> <p>Laterality: Shoulder - 1 Elbow - 2 Wrist - 3 Hand - 4 Ankle and foot - 7</p>



ICD-9 Code and Description	ICD-10 Code Mapping	Related ICD-10 Codes	ICD-10 Guidelines
<p>720.0 Ankylosing spondylitis</p>	<p>M45.0 Ankylosing spondylitis of multiple sites in spine</p>	<p>M45.1 Ankylosing spondylitis of occipito-atlanto-axial region M45.2 Ankylosing spondylitis of cervical region M45.3 Ankylosing spondylitis of cervicothoracic region M45.4 Ankylosing spondylitis of thoracic region M45.5 Ankylosing spondylitis of thoracolumbar region M45.6 Ankylosing spondylitis of lumbar region M45.7 Ankylosing spondylitis of lumbrosacral region M45.8 Ankylosing spondylitis of sacral and sacrococcygeal region</p>	<p>Excludes 1: Arthropathy in Reiter's disease (M02.3_) Juvenile (ankylosing) spondylitis (M08.1) Excludes 2: Behçet's disease (M35.2)</p>
<p>725 Polymyalgia rheumatica</p>	<p>M35.3 Polymyalgia rheumatica</p>		<p>Excludes 1: Polymyalgia rheumatica with giant cell arteritis (M31.5)</p>
<p>727.3 Other bursitis</p>	<p>M71.50 Other bursitis, not elsewhere classified, unspecified site</p>		<p>Excludes 1: Bursitis NOS (M719_) Excludes 2: Bursitis of shoulder (M75.5) Anatomical site: Shoulder - 1 Elbow - 2 Wrist - 3 Hand - 4 Hip - 5 Knee - 6 Ankle and foot - 7 Vertebrae - 8 Multiple sites - 9 Laterality: Right - 1 Left - 2</p>
<p>729.1 Myalgia and myositis, unspecified</p>	<p>M79.7 Fibromyalgia</p>		<p>Excludes 2: Pain in joint (M25.5_)</p>



ICD-9 Code and Description	ICD-10 Code Mapping	Related ICD-10 Codes	ICD-10 Guidelines
<p>730.2 Unspecified osteomyelitis [0-9]</p>	<p>M86.10 Other acute osteomyelitis</p> <p>M86.60 Other chronic osteomyelitis</p>	<p>M86.9 Other osteomyelitis, unspecified</p>	<p>Anatomical site: Shoulder - 1 Elbow - 2 Wrist - 3 Hand - 4 Hip - 5 Knee - 6 Ankle and foot - 7 Vertebrae - 8 Multiple sites - 9</p> <p>Laterality: Right - 1 Left - 2</p>
<p>733.00 Osteoporosis</p> <p>733.01 Senile Osteoporosis</p> <p>733.02 Idiopathic osteoporosis</p> <p>733.03 Disuse osteoporosis</p>	<p>M81.0 Age-related osteoporosis without current pathological fracture</p>	<p>M81.6 Localized osteoporosis [Lequesne]</p> <p>M81.8 Other osteoporosis without current pathological fracture Drug induced, idiopathic, post-traumatic</p>	<p>Use additional code to identify: Personal history of (healed) osteoporosis fracture, if applicable (Z87.310)</p> <p>Excludes 1: Osteoporosis with current pathological fracture (M80.) Sudeck's atrophy (M89.0) Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)</p>
<p>733.10 Pathological fracture unspecified site</p>	<p>M80.00 Age-related osteoporosis with current pathological fracture, unspecified site</p>		<p>Excludes 1: Pathological fracture NOS (M84.4)</p> <p>Excludes 2: Personal history of (healed) osteoporosis fracture (Z87.310) The appropriate 7th character is to be added to each code from M80. A - initial encounter for fracture D - subsequent encounter for fracture with routine healing S - sequela</p> <p>Anatomical site: Shoulder - 1 Humerus - 2 Forearm - 3 Hand - 4 Femur - 5 Lower leg - 6 Ankle and foot - 7 Vertebrae - 8</p> <p>Laterality: Right - 1 Left - 2</p>

ICD-9 Code and Description	ICD-10 Code Mapping	Related ICD-10 Codes	ICD-10 Guidelines
733.90 Disorder of bone and cartilage, unspecified	M85.89 Other specified disorders of bone density and structure, multiple sites (Osteopenia)		<p>Anatomical site: Shoulder - 1 Humerus - 2 Forearm - 3 Hand - 4 Femur - 5 Lower leg- 6 Ankle and foot - 7 Vertebrae - 8</p> <p>Laterality: Right - 1 Left - 2</p>

Additional ICD-10 Codes

ICD-9 Code and Description	ICD-10 Code Mapping	Related ICD-10 Codes	ICD-10 Guidelines
250. Diabetes mellitus	E11.9 Type 2 diabetes mellitus without complications		Use additional code to identify any insulin use (Z79.4)
266.2 Other B-complex deficiencies	E53.8 Deficiency of other specified B group vitamins (vitamin B12)		Excludes 1: Vitamin B12 deficiency anemia (D51._)
268.9 Unspecified Vitamin D deficiency	E55.9 Vitamin D deficiency, unspecified		
278.01 Morbid obesity	E66.01 Morbid (severe) obesity due to excess calories		Use additional code to identify body mass index (BMI), if known (Z68._)
285.9 Anemia, unspecified	D64.9 Anemia, unspecified		
401.9 Unspecified hypertension	I10 Essential (primary) hypertension		<p>Use additional codes to identify: Tobacco dependence (F17._) Tobacco use (Z72.0)</p>
719.0 Effusion of joint [0-9]	M25.40 Effusion, unspecified joint		<p>Anatomical site: Shoulder - 1 Elbow - 2 Wrist - 3 Hand - 4 Hip - 5 Knee- 6 Ankle and foot - 7 Other site - 8</p> <p>Laterality: Right - 1 Left - 2</p>



ICD-9 Code and Description	ICD-10 Code Mapping	Related ICD-10 Codes	ICD-10 Guidelines
719.4 Pain in joint [0-9]	M25.50 Pain in unspecified joint		<p>Excludes 2: Pain in hand (M79.64_) Pain in fingers (M79.64_) Pain in foot (M79.67_) Pain in limb (M79.6_) Pain in toes (M79.67_)</p> <p>Anatomical site: Shoulder - 1 Elbow - 2 Wrist - 3 Hand - 4 Hip - 5 Knee- 6 Ankle and foot - 7</p> <p>Laterality: Right - 1 Left - 2</p>
724.2 Lumbago	M54.5 Low back pain		
724.5 Back pain	M54.9 Back pain, NOS		
729.5 Pain in limb	M79.5 Pain in limb, hand, foot, fingers and toes		<p>Anatomical sites: upper arm - 2 forearm - 3 hand and finger -4 thigh - 5 lower leg - 6 foot and toes - 7</p> <p>Laterality: Right - 1 Left - 2</p>
729.5 Pain in limb	M79.60 Pain in limb		<p>Anatomical sites: right arm - 1 left arm - 2 right leg - 4 left leg - 5</p>
729.81 Swelling of limb	M79.9 Soft tissue, unspecified	M79.89 Other specified soft tissue disorders	M79.89 is appropriate for the following anatomical sites: arm forearm finger foot hand leg
780.79 Other malaise and fatigue	R53.83 Other Fatigue NOS	R53.82 Chronic fatigue, unspecified	

ICD-9 Code and Description	ICD-10 Code Mapping	Related ICD-10 Codes	ICD-10 Guidelines
782.3 Edema	R60.9 Edema, unspecified	R60.0 Localized edema R60.1 Generalized edema	
789.0 Abdominal pain [0-7,9]	R10.9 Unspecified abdominal pain	R10.0 Acute abdomen	Excludes 1: Generalized abdominal pain NOS (R10.84) Localized abdominal pain (R10.1 - R10.3_)
790.1 Elevated sedimentation rate	R70.0 Elevated erythrocyte sedimentation rate		
790.95 Elevated C-reactive protein (CRP)	R79.82 Elevated C-reactive protein [CRP]		Use additional code to identify any retained foreign body, if applicable (Z18._)
795.51 PPD Positive	R76.11 PPD Positive		Excludes 1: Nonspecific reaction to QFT
795.52 Nonspecific reaction to QFT	R76.12 Nonspecific reaction to QFT		Excludes 1: PPD positive
795.79 Other and unspecified nonspecific immunological findings	R76.0 Raised antibody titer		
V01.1 Contact with or exposure to tuberculosis	Z20.1 Contact with and (suspected) exposure to tuberculosis		
V22.2 Pregnant state, incidental	Z33.1 Pregnant state, incidental		
V58.61 Long-term (current) use of anticoagulants	Z79.01 Long-term use of anticoagulants		
V58.64 Long-term (current) use of non-steroidal anti-inflammatories (NSAID)	Z79.1 Long-term (current) use of non-steroidal anti-inflammatories (NSAID)		
V58.65 Long-term (current) use of steroids	Z79.5_ Long-term (current) use of steroids	Z79.51 Long-term (current) use of inhaled steroids Z79.52 Long-term (current) use of systemic steroids	
V58.69 Long-term (current) use of other medications	Z79.899 Other long-term (current) drug therapy		Use this code for long term use of biologics



ICD-9 Code and Description	ICD-10 Code Mapping	Related ICD-10 Codes	ICD-10 Guidelines
N/A Nicotine dependence (current)	F17.20_ Nicotine dependence, unspecified	F17.21_ Nicotine dependence, cigarettes F17.22_ Nicotine dependence, chewing tobacco F17.29_ Nicotine dependence, other tobacco product	Excludes 1: History of tobacco dependence (Z87.891) Tobacco use NOS (Z72.0) Excludes 2: Tobacco use (smoking) during pregnancy, childbirth and the puerperium (O99.33_) Stages of dependence: Uncomplicated - 0 In remission - 1 Withdrawal - 3
N/A Tobacco use	Z72.0 Tobacco use		Excludes 1: History of tobacco dependence (Z87.891) Current nicotine dependence (F17.2_)
N/A Personal history of nicotine dependence	Z87.891 Personal history of nicotine dependence		Excludes 1: Current nicotine dependence (F17.2_)