


Quantum™

# Quantum™ Electronic Health Record (EHR) FHIR API

Reference Guide

Release 2018.1



# Quantum EHR - FHIR API Reference Guide

---

## In This Document:

- About This Guide ..... 3
  - Intended Audience ..... 3
- Terms of Use ..... 4
- Getting Started ..... 8
  - API Endpoints ..... 8
  - Authentication and Authorization ..... 8
  - Response Codes ..... 12
- Resources ..... 13
  - Patient ..... 14
  - Condition (Problems) ..... 19
  - Smoking Status ..... 23
  - Medication Statement ..... 28
  - Allergy Intolerance ..... 32
  - Vital Signs ..... 37
  - Procedure ..... 43
  - Lab Results ..... 47
  - Immunization ..... 54
  - Device ..... 59
  - Goal ..... 63
  - Care Team ..... 66
  - Health Concerns ..... 69
  - Assessments ..... 73
  - Document Reference (All Patient Data) ..... 77
- Legal Notices ..... 79

# About This Guide

The *Quantum™ EHR FHIR API Reference Guide* describes Quantum EHR's implementation of the HL7® [Fast Healthcare Interoperability Resources \(FHIR®\)](#) specification, which is a standard for exchanging healthcare information electronically. The guide outlines the steps necessary for clients to connect to the Application Programming Interface (API), as well as how to retrieve patient health information within Quantum EHR (including example requests and responses).

## Intended Audience

This guide is intended for third-party developers who are designing software applications to access patient health information within Quantum EHR.

# Terms of Use

This is a legal agreement between "you" (a "Developer" or "User") and Quest Diagnostics. You must accept the Terms of Use ("Agreement") in order to use the Quantum EHR public Application Programming Interface ("API"). This Agreement describes your rights and your obligations if you use the Quantum EHR FHIR API. By accepting this Agreement or by accessing or using the Quantum EHR FHIR API, you agree to be bound by this Agreement.

If you are entering into this Agreement on behalf of a company or other legal entity ("Entity"), you represent that you have the authority to bind such Entity to this Agreement. In that case, the terms "you" or "your" shall also refer to such Entity. If you do not have such authority, or if the Entity does not agree to be bound by this Agreement, the Entity and you may not use the Quantum EHR FHIR API. You acknowledge that this Agreement is a contract between you and Quest Diagnostics, even though it is electronic and is not physically signed by you and Quest Diagnostics.

## API Definitions

As used herein: "Application" means any software application or product You offer, using the Quantum EHR FHIR API. "API Documentation" means the documentation that Quest Diagnostics provides regarding use of the Quantum EHR FHIR API. "API" means the publicly available Quantum EHR FHIR Programming Interface ("API"). "Client" means the software used to make requests to the API. "HIPAA" means the Health Insurance Portability and Accountability Act. "HITECH" means the Health Information Technology for Economic and Clinical Health Act under Title XIII of the American Recovery and Reinvestment Act.

## API License and Restrictions

- a Quest Diagnostics hereby grants you a revocable, limited, personal, non-sublicensable, non-exclusive, and non-transferable license to use the API to develop, test, and support your Application, and to integrate the Quantum EHR FHIR API with your Application. Your license is subject to the limitations set forth in this agreement.
- b You may not use the Quantum EHR FHIR API in a manner that accesses or uses any information beyond what Quest Diagnostics allows under this Agreement or the API Documentation; that changes, breaks or circumvents any of the technical, administrative, process or security measures; that disrupts or degrades the performance of the Quantum EHR FHIR API; or that tests the vulnerability of Quest Diagnostics' systems or networks.
- c You may not transmit any viruses or other computer programming that may damage, detrimentally interfere with, surreptitiously intercept, or expropriate any system or data.
- d You may not attempt to reverse engineer or otherwise derive source code, trade secrets, or know-how in the Quantum EHR FHIR API or any portion thereof.
- e You acknowledge and agree that (i) Quest Diagnostics may modify the Quantum EHR FHIR API at any time in Quest Diagnostics' sole discretion and (ii) future versions of the Quantum EHR FHIR API may not permit the operation of, or otherwise be compatible with any Developer App created hereunder.
- f You may charge for your Application. However, you may not sell, rent, lease, sublicense, redistribute, or syndicate access to the Quantum EHR FHIR API.

- g** You will not attempt to exceed or circumvent limitations on access, calls and use of the Quantum EHR FHIR API, or otherwise use the Quantum EHR FHIR API in a manner that exceeds reasonable request volume, constitutes excessive or abusive usage, or otherwise fails to comply or is inconsistent with any part of this Agreement or the Documentation.
- h** You may not use any portion of the Quantum EHR FHIR API for any unlawful or illegal activity.
- i** You may not distribute or allow access to the Quantum EHR FHIR API to anyone other than, if applicable, the Entity on whose behalf you entered into this Agreement.

### *Security Measures and Protected Health Information (PHI)*

- a** YOU ATTEST THAT YOU ARE AUTHORIZED TO ACCESS THE PHI YOU ARE REQUESTING THROUGH THE SYSTEM, AND YOU AGREE TO HANDLE AND PROCESS SUCH INFORMATION ACCORDING TO ANY AND ALL APPLICABLE LAWS. If you are a Developer, you agree to maintain suitable facilities, management, operational, and physical controls to protect PHI and any Codes consistent with the security and privacy controls imposed by HIPAA, HITECH, and any other federal, state, and local laws, where applicable, and to treat all Codes with no less care and protection than that afforded to Protected Health Information. You acknowledge and agree that you shall use the System only as and to the extent permitted by applicable law, including any applicable import or export laws, and only for applications related to the secure access to health information over the Internet, in a manner compliant with the security and privacy rules of HIPAA, HITECH, and any other applicable law or regulation. You acknowledge and agree that Company is not a Covered Entity. You agree that you will not intentionally submit to Company or otherwise share with Company any Protected Health Information and will not provide Company with access to any Protected Health Information except as required for you to Use the System. You acknowledge and agree that Company only acts as a conduit to transfer Protected Health Information or any other data between you and a Data Holder.
- b** You acknowledge that the System is a data transport tool and is not intended to serve as a medical record, and that it is your sole responsibility to establish policies and procedures that ensure that the content of any data accessed through the System is incorporated into a patient's medical record, when applicable. You agree that it is your sole responsibility to provide or obtain any and all necessary consents and to fulfill any and all obligations that are required by HIPAA, HITECH, or other governmental statute or regulation prior to use, disclosure, or transmission of any Protected Health Information or other data accessed through the System. You agree that Company has no obligation to archive or otherwise store any PHI or other data transferred through the System. You acknowledge that the data you request may not be accessible through the System when (i) you are denied access by Data Holder to any or all of the data requested or the Data Holder does not respond to your request for any reason, (ii) your request or the data provided by a Data Holder is not in a format recognized by the System, (iii) your request would cause transfer size or frequency to exceed the allowable maximum permitted by Company, (iv) the Codes you use to access the System are invalid, (v) this Agreement terminates, or (vi) for any other reason. You acknowledge that Company does not control the content of data accessed through the System, that data accessed through the System may contain software viruses or other malicious content, that it is your sole responsibility to protect your computer system from viruses, and that the Company has no responsibility to protect your computer system from viruses or other malware. You agree that Company, in its sole discretion, reserves the right not to enable Software or System for any particular Developer or User, should we determine, in our sole discretion, that Use by the Developer or User is a threat to Company's systems or negatively impacts the Use of the System by other Users.

- c The network, operating system and software of your web servers, databases, and computer systems (collectively, “Your Systems”) must be properly configured to securely operate your Application. Your Application must use reasonable security measures to protect your users’ information. You must not architect or select Your Systems in a manner to avoid the foregoing obligation. Your Systems shall use supported versions of operating systems and databases for which patches are actively deployed and shall be updated with security patches based on industry accepted standards and criticality. All critical patches shall be applied within 30 days of release.
- d You must promptly report any security deficiencies in, or intrusions to, your Systems to Quest Diagnostics in writing via email to [ITSecurityIncidentReporting@questdiagnostics.com](mailto:ITSecurityIncidentReporting@questdiagnostics.com). You will work with Quest Diagnostics to immediately correct any security deficiency, and will immediately disconnect any intrusions or intruder. In the event of any security deficiency or intrusion involving the Application, or the Quantum EHR FHIR API, you will make no public statements regarding such deficiencies or intrusions without prior written and express permission from Quest Diagnostics in each instance.

### *Term and Termination*

This Agreement will go into effect on the date upon which you agree to them, by accessing or using the Quantum EHR FHIR API, and will continue until terminated as set forth herein. You may terminate this Agreement by discontinuing use of the Quantum EHR FHIR API. Upon termination of this Agreement:

- a All rights and licenses granted to you will terminate immediately.
- b You agree to promptly destroy Documentation and any other Quantum EHR FHIR API information in your possession or control that was received under this Agreement.

### *Disclaimers*

- a **Warranties.** THE QUANUM EHR FHIR API AND ALL RELATED COMPONENTS ARE PROVIDED ON AN “AS IS” AND “AS AVAILABLE” BASIS WITHOUT ANY WARRANTIES OF ANY KIND, AND QUEST DIAGNOSTICS EXPRESSLY DISCLAIMS ANY AND ALL WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, TITLE, FITNESS FOR A PARTICULAR PURPOSE, AND NONINFRINGEMENT. YOU ACKNOWLEDGE THAT QUEST DIAGNOSTICS DOES NOT WARRANT THAT THE QUANUM EHR FHIR API WILL BE UNINTERRUPTED, TIMELY, SECURE, ERROR-FREE OR VIRUS-FREE, NOR DOES IT MAKE ANY WARRANTY AS TO THE RESULTS THAT MAY BE OBTAINED FROM USE OF THE QUANUM EHR FHIR API, AND NO INFORMATION, ADVICE OR SERVICES OBTAINED BY YOU FROM QUEST DIAGNOSTICS SHALL CREATE ANY WARRANTY NOT EXPRESSLY STATED IN THIS AGREEMENT.
- b **Limitation of Liability.** UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY (WHETHER IN CONTRACT, TORT, OR OTHERWISE) SHALL QUEST DIAGNOSTICS BE LIABLE TO YOU OR ANY THIRD PARTY FOR (A) ANY INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, CONSEQUENTIAL OR PUNITIVE DAMAGES, INCLUDING LOST PROFITS, LOST SALES OR BUSINESS, OR LOST DATA, OR (B) ANY MATTER BEYOND QUEST DIAGNOSTICS’ REASONABLE CONTROL. THE PROVISIONS OF THIS SECTION ALLOCATE THE RISKS UNDER THIS AGREEMENT BETWEEN THE PARTIES, AND THE PARTIES HAVE RELIED ON THESE LIMITATIONS IN DETERMINING WHETHER TO ENTER INTO THIS AGREEMENT. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES OR LIMITATION OF LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHICH MEANS THAT SOME OF THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU. IN THESE JURISDICTIONS, QUEST DIAGNOSTICS’ LIABILITY WILL BE LIMITED TO THE GREATEST EXTENT PERMITTED BY LAW.

- c Indemnity. You agree to defend, hold harmless and indemnify Quest Diagnostics, and its subsidiaries, affiliates, officers, agents, employees, and suppliers, from and against any third party claim arising from or in any way related to your or your users' use of the Application or the Quantum EHR FHIR API, or any violation of this Agreement, including any liability or expense arising from all claims, losses, damages (actual and consequential), suits, judgments, litigation costs and attorneys' fees, of every kind and nature. In such a case, we will provide you with written notice of such claim, suit, or action.

# Getting Started

The Quantum EHR FHIR API is based on Release 3 (STU) of the FHIR standard. It is a RESTful API, where all resource requests are performed using HTTPS, the server responds with standard HTTP response codes, and data is returned in JSON format. Additionally, the API is secured using [SMART® authorization](#) ("SMART on FHIR"), which is built on the OAuth 2.0 standard. For more information, see ["Authentication and Authorization" below](#).

Before you can access our API, you must complete our registration process, which will provide you with the necessary credentials for authentication. If you're interested in registering for API access, please contact us at [Mindy.L.Oakes@QuestDiagnostics.com](mailto:Mindy.L.Oakes@QuestDiagnostics.com).

## API Endpoints

In URL examples throughout this guide, *base\_url* is used to represent the environment. To access the Stage or Production environment, use one of the following base URLs:

### Stage

<https://smartonfhir.elabs.stage.quantumsolutions.com>

### Production

<https://smartonfhir.elabs.quantumsolutions.com>

## Authentication and Authorization

The Quantum EHR FHIR API uses [SMART® authorization](#) ("SMART on FHIR"), which is built on the OAuth 2.0 standard, for authentication and authorization. This framework provides secure access to patient data by requiring that every resource request includes an access token (as the *Bearer* token) in the *Authorization* header. At a high level, retrieving an access token involves:

- 1 Initiating an authorization grant request (to the authorization server's authorize endpoint URL). This request contains parameters, such as scope, client ID, and redirect\_uri.
- 2 Receiving an authorization code (from the authorization server) at the specified redirect\_uri.
- 3 Submitting the authorization code for an access token (via HTTP POST to the authorization server's token endpoint URL).
- 4 Receiving an access token (from the authorization server) at the specified redirect\_uri.
- 5 Receiving a new access token using a refresh token (via HTTP POST to the authorization server's token endpoint URL).

For more details about requesting an access token via the authorization code grant request or by using a refresh token, see ["Access Tokens" on the next page](#) and ["Refresh Tokens" on page 11](#).

## Access Tokens

Access tokens are used to make API requests on behalf of a user. To request an access token, you must submit an authorization request to the authorize endpoint (see ["Submit Authorization Request" below](#)), and then once successfully authorized, exchange the authorization code for an access token via a POST request to the token endpoint (see ["Exchange Authorization Code " on the next page](#)).

**Note:** An access token and refresh token pair is issued (if *offline\_access* is included in the *scope*) of the authorization request. For more information about refresh tokens, see ["Refresh Tokens" on page 11](#).

### Submit Authorization Request

Create a request for authorization by adding the parameters outlined below to the query component of the authorize endpoint URL, using the "application/x-www-form-urlencoded" format. If successful, the authorization server returns a JSON response with the authorization code.

Authorize endpoint URL - `https://base_url/quantum-ehr-oidc/authorize`

Request Parameter	Description/Value
response_type	<i>code</i> (authorization code)
client_id	The client's identifier.
redirect_uri	One of the client's pre-registered redirect URIs.
launch	The launch value received when using the EHR launch flow.
scope	A string that describes the access rights that the client application needs to operate properly. The supported scope values are: <ul style="list-style-type: none"><li>• <i>launch</i></li><li>• <i>offline_access</i></li><li>• <i>openid</i></li><li>• <i>profile</i></li><li>• <i>patient/*.read</i></li><li>• <i>user/*.read</i></li></ul>
state	An opaque value used by the client to maintain state between the request and callback. The authorization server includes this value when redirecting the user-agent back to the client.
aud	The url of the resource server. This is the same value as the <i>iss</i> parameter (which is short for issuer, and identifies an EHR's base FHIR endpoint).
Response Field	Description/Value
code	The authorization code generated by the authorization server. The authorization code expires shortly after it is issued (usually 1 minute) to mitigate the risk of leaks.
state	An opaque value used by the client to maintain state between the request and callback.

## Exchange Authorization Code

After obtaining an authorization code, exchange the code for an access token via HTTP POST to the authorization server's token endpoint URL, using content-type application/x-www-form-urlencoded. An *Authorization* header using HTTP Basic authentication is also required, where the user name is the *client\_id* and the password is the *client\_secret*. If successful, the authorization server returns a JSON response with the access token.

Token endpoint URL - `https://base_url/quantum-ehr-oidc/token`

Request Parameter	Description/Value
grant_type	<i>authorization_code</i>
code	The authorization code received from the authorization server.
redirect_uri	One of the client's pre-registered redirect URIs.
client_id	The client's identifier.
Response Field	Description/Value
access_token	The access token issued by the authorization server.
token_type	<i>Bearer</i>
expires_in	Lifetime in seconds of the access token, after which the token will no longer be accepted by the resource server. For example, the value 3600 means that the access token will expire in one hour from the time the response was generated.
scope	Scope of access authorized.
id_token	Authenticated user identity and profile.
refresh_token	Token that can be used to obtain a new access token, using the same or a subset of the original authorization grants.

## Refresh Tokens

A refresh token can be used to replace an expired access token without user intervention. The refresh token is only available if *offline\_access* was included in the *scope* of the authorization request. To request a new access token, issue an HTTP POST including the parameters outlined below to the authorization server's token endpoint URL, using content-type *application/x-www-form-urlencoded*. An *Authorization* header using HTTP Basic authentication is also required, where the user name is the *client\_id* and the password is the *client\_secret*. If successful, the authorization server returns a JSON response with the new access token and refresh token pair.

Token endpoint URL - `https://base_url/quantum-ehr-oidc/token`

Request Parameter	Description/Value
<code>grant_type</code>	<i>refresh_token</i>
<code>refresh_token</code>	The refresh token from a prior authorization response.
<code>client_id</code>	The client's identifier.
<code>scope</code>	The scopes of access requested. This value must be a strict sub-set of the scopes granted in the original launch; no new permissions can be obtained at refresh time. A missing value indicates a request for the same scopes granted in the original launch. The supported scope values are: <ul style="list-style-type: none"><li>• <i>offline_access</i></li><li>• <i>openid</i></li><li>• <i>patient/*.read</i></li></ul>
Response Field	Description/Value
<code>access_token</code>	The new access token issued by the authorization server.
<code>token_type</code>	<i>Bearer</i>
<code>expires_in</code>	Lifetime in seconds of the access token, after which the token will no longer be accepted by the resource server. For example, the value 3600 means that the access token will expire in one hour from the time the response was generated.
<code>scope</code>	Scope of access authorized. This will be the same as the scope of the original access token, and it can be different from the scopes requested by the application. The supported scope values are: <ul style="list-style-type: none"><li>• <i>offline_access</i></li><li>• <i>openid</i></li><li>• <i>patient/*.read</i></li></ul>
<code>refresh_token</code>	The new refresh token issued by the authorization server.

## Response Codes

The Quantum EHR API uses standard HTTP response codes to indicate the status of a request. This section lists some of the possible response codes and provides an example 404 response.

Response Code	Description
200	The request was completed successfully.
400	The request was not properly constructed.
401	The user credentials were not authorized.
404	The requested resource was not found, or no entries were found for the given search parameters.
500	An internal server error occurred.

### Not Found Response

When no data is found for the given search parameters, a 404 code with the following response (JSON) body is returned:

**Note:** The response body will include the specific resource being queried, where *resource* is used in this example.

```
{
  "resourceType": "OperationOutcome",
  "issue": [
    {
      "severity": "error",
      "code": "processing",
      "diagnostics": "No resource entries found for the given search criteria."
    }
  ]
}
```

# Resources

A FHIR resource represents exchangeable pieces of health care data, such as patient problems or medications. The table below describes the FHIR resources and the corresponding Common Clinical Data Set (CCDS) elements supported by the Quanam EHR FHIR API. You can request patient data from a particular resource, or request that all patient data (for the supported resources) be returned as a Base64 encoded, compressed CCDA. For more information about retrieving all patient data, see "[Document Reference \(All Patient Data\)](#)" on page 77. Additionally, all resources are read-only; methods other than GET are **not** supported by this API.

**Note:** For general information on FHIR resources, see the [HL7 FHIR documentation](#).

CCDS Element	Resource
Patient Name	<a href="#">Patient</a>
Sex	<a href="#">Patient</a>
Date of Birth	<a href="#">Patient</a>
Race	<a href="#">Patient</a>
Ethnicity	<a href="#">Patient</a>
Preferred Language	<a href="#">Patient</a>
Smoking Status	<a href="#">SmokingStatus</a> (Observation)
Problems	<a href="#">Condition</a>
Medications	<a href="#">MedicationStatement</a>
Medication Allergies	<a href="#">AllergyIntolerance</a>
Laboratory Tests	<a href="#">LabResults</a>
Laboratory Values(s)/Result(s)	<a href="#">LabResults</a> (Observation)
Vital Signs	<a href="#">VitalSigns</a> (Observation)
Procedures	<a href="#">Procedure</a>
Care Team Member(s)	<a href="#">CareTeam</a>
Immunizations	<a href="#">Immunization</a>
Unique Device Identifier(s) for a Patient's Implantable Device(s)	<a href="#">Device</a>
Assessment and Plan of Treatment	<a href="#">Assessments</a> (ClinicalImpression)
Goals	<a href="#">Goal</a>
Health Concerns	<a href="#">HealthConcerns</a> (Condition)

## Patient

<b>Description</b>	Retrieves a patient's demographic information.
<b>Method</b>	GET
<b>Supported Interactions</b>	<ul style="list-style-type: none"><li>• <a href="#">Search</a></li><li>• <a href="#">Read</a></li></ul>
<b>Response Format</b>	application/JSON

### Parameters

The following search parameters are supported for the Patient resource.

**Note:** If no entries are available for the specified parameters, a 404 response code is received. For an example of this response, see ["Not Found Response" on page 12](#).

Parameter	Description	Type	Req'd
given	The patient's first name.	string	N
family	The patient's last name.	string	Y
name	The patient's given (first) or family (last) name.	string	N
telecom	The patient's phone number.	string	N
identifier	The patient's unique identifier. The patient identifier can be retrieved by performing a patient search.	string	N
birthDate	The patient's birth date, in the following format: <i>yyyy-mm-dd</i>	date	N
gender	The patient's gender. Supported values include: <i>male</i> , <i>female</i> , <i>other</i> , and <i>unknown</i> .	string	N

### Response Fields

The following fields may appear in a JSON response for the Patient resource.

Field	Description	Type	Cardinality
resourceType	Identifies the resource.	Patient	1..1
id	The unique identifier for the patient.	Identifier	1..1
active	Identifies whether the patient's record is active.	boolean	0..1
name	The patient's name.	HumanName	0..*
gender	The patient's gender. Supported values include <i>male</i> , <i>female</i> , <i>other</i> , and <i>unknown</i> .	code	0..1

Field	Description	Type	Cardinality
birthDate	The patient's date of birth.	date	0..1
address	The patient's postal address.	Address	0..*
maritalStatus	The patient's marital status.	CodeableConcept	0..1
communication	The language(s) that can be used to communicate with the patient.	BackboneElement	0..*
managingOrganization	The organization responsible for updating the patient's record.	Reference (Organization)	0..1

## Example Requests and Responses

**Note:** For information about the environments represented by *base\_url* in the examples below, see ["API Endpoints" on page 8](#).

### Read - Request

Returns demographics for a specific patient using the patient's identifier:

```
GET https://base_url/quantum-ehr-fhir-server/fhir/Patient/
2c92ba8a3f6702c4013f673049de006b
```

### Read - Response (JSON)

```
{
  "resourceType": "Patient",
  "id": "2c92ba8a3f6702c4013f673049de006b",
  "extension": [
    {
      "url": "http://hl7.org/fhir/us/core/StructureDefinition/us-core-race",
      "extension": [
        {
          "url": "http://hl7.org/fhir/us/core/StructureDefinition/us-core-race",
          "valueCodeableConcept": {
            "coding": [
              {
                "system": "http://hl7.org/fhir/v3/Race",
                "code": "2028-9",
                "display": "Asian"
              }
            ],
            "text": "Asian"
          }
        }
      ]
    }
  ],
  {
    "url": "http://hl7.org/fhir/us/core/StructureDefinition/us-core-ethnicity",
    "extension": [
      {
        "url": "http://hl7.org/fhir/us/core/StructureDefinition/us-core-ethnicity",
        "valueCodeableConcept": {
          "coding": [
            {
              "system": "http://hl7.org/fhir/v3/Ethnicity",

```

```

        "code": "2186-5",
        "display": "Not Hispanic or Latino "
    }],
    "text": "Not Hispanic or Latino "
}
}
],
"identifier": [ {
    "type": {
        "coding": [ {
            "system": "http://hl7.org/fhir/v2/0203",
            "code": "MR",
            "display": "Medical record number"
        }],
        "text": "Medical record number"
    },
    "system": "urn:oid:2.16.840.1.113883.3.345.3",
    "value": "4398"
}],
"active": true,
"name": [ {
    "text": "Krishna Adusumilli",
    "family": "Adusumilli",
    "given": ["Krishna"]
}],
"telecom": [
    {
        "system": "phone",
        "value": "(513) 229-5500",
        "use": "home"
    },
    {
        "system": "phone",
        "value": "(513) 445-5000",
        "use": "mobile"
    },
    {
        "system": "phone",
        "value": "(513) 445-5000",
        "use": "work"
    },
    {
        "system": "email",
        "value": "lpr@gmail.com"
    }
],
"gender": "male",
"birthDate": "1979-07-16",

```

```

"address": [ {
  "line": ["1234 st"],
  "city": "Batavia",
  "state": "OH",
  "postalCode": "45103"
}],
"maritalStatus": {"coding": [ {
  "system": "http://hl7.org/fhir/ValueSet/marital-status",
  "code": "UNK",
  "display": "Unknown"
}]},
"communication": [{"language": {
  "coding": [ {
    "system": "http://hl7.org/fhir/valueset-languages.html",
    "code": "en"
  }],
  "text": "English"
}}],
"managingOrganization": {"display": "2c92a6c73f6236c9013f6710592f00e6"}
}

```

## Search - Request

Returns one or more patients (as a bundle) using the specified given and family name:

GET [https://base\\_url/quanum-ehr-fhir-server/fhir/Patient?given=John&family=Smith](https://base_url/quanum-ehr-fhir-server/fhir/Patient?given=John&family=Smith)

## Search - Response (JSON)

**Note:** Only a portion of the response is included for this example.

```

{
  "resourceType": "Bundle",
  "id": "46b3bd55-90f3-4733-b72a-ff0beb49072d",
  "meta": {"lastUpdated": "2018-04-18T17:04:17.689+00:00"},
  "type": "searchset",
  "total": 3,
  "link": [ {
    "relation": "self",
    "url": "https://base_url/quanum-ehr-fhir-server/fhir/Patient?family=Smith&given=John"
  }],
  "entry": [
    {
      "fullUrl": "https://base_url/quanum-ehr-fhir-server/fhir/Patient/2c92a6bb5d12a20e015d1437ca667aa6",
      "resource": {
        "resourceType": "Patient",
        "id": "2c92a6bb5d12a20e015d1437ca667aa6",
        "identifier": [
          {
            "type":

```

```

        "coding": [
            {
                "system": "http://hl7.org/fhir/v2/0203",
                "code": "MR",
                "display": "Medical record number"
            }
        ],
        "text": "Medical record number"
    },
    "system": "urn:oid:2.16.840.1.113883.3.345.3"
}],
"active": true,
"name": [
    {
        "text": "John Smith",
        "family": "Smith",
        "given": ["John"]
    }
],
"telecom": [
    {
        "system": "phone",
        "value": "(570) 837-8364",
        "use": "home"
    }
],
"gender": "male",
"birthDate": "1960-07-03",
"address": [
    {
        "line": ["355 Maple Street"],
        "city": "Williamsport",
        "state": "PA",
        "postalCode": "17701"
    }
],
"maritalStatus": {"coding": [
    {
        "system": "http://hl7.org/fhir/ValueSet/marital-status",
        "code": "UNK",
        "display": "Unknown"
    }
]}},
"managingOrganization": {"display": "DEMO_ORG"}
}
},

```

## Condition (Problems)

<b>Description</b>	Retrieves a patient's conditions (problems).
<b>Method</b>	GET
<b>Supported Interactions</b>	<ul style="list-style-type: none"> <li>• <a href="#">Search</a></li> <li>• <a href="#">Read</a></li> </ul>
<b>Response Format</b>	application/JSON

### Parameters

The following search parameters are supported for the Condition resource.

**Note:** If no entries are available for the specified parameters, a 404 response code is received. For an example of this response, see ["Not Found Response" on page 12](#).

Parameter	Description	Type	Req'd
patient	The patient's unique identifier. The patient identifier can be retrieved by performing a patient search. For more information, see <a href="#">"Patient" on page 14</a> .	string	Y
identifier	The unique identifier for a specific clinical entry. The clinical entry identifier can be retrieved by performing a search for a patient's conditions.	string	N
startDate	<p>A date used to filter entries by clinically relevant date, in the following format:</p> <p><i>yyyy-mm-dd</i></p> <p>If a start date is specified, only entries with a clinically relevant date that occurs on or after the specified start date are returned.</p> <p><b>Note:</b> A start date may be used with or without an end date.</p>	date	N
endDate	<p>A date used to filter entries by clinically relevant date, in the following format:</p> <p><i>yyyy-mm-dd</i></p> <p>If an end date is specified, only entries with a clinically relevant date that occurs on or before the specified end date are returned.</p> <p><b>Note:</b> An end date may be used with or without a start date.</p>	date	N

## Response Fields

The following fields may appear in a JSON response for the Condition resource.

Field	Description	Type	Cardinality
resourceType	Identifies the resource.	Condition	1..1
id	The unique identifier for the clinical entry.	Identifier	1..1
clinicalStatus	The status of the condition. Supported values include active or inactive.	code	0..1
category	A category assigned to the condition. Problem is the only supported value.	CodeableConcept	1..1
code	The identified problem.	CodeableConcept	0..1
subject	The patient associated with the condition, described by the patient's unique identifier preceded by <i>Patient/</i> .	Reference (Patient)	1..1
onsetDateTime	The actual or estimated date and time the condition began.	dateTime	0..1

## Example Requests and Responses

**Note:** For information about the environments represented by *base\_url* in the examples below, see ["API Endpoints" on page 8](#).

### Read - Request

Returns a single condition entry for the patient using the specified clinical entry identifier:

```
GET https://base_url/quantum-ehr-fhir-server/fhir/Condition/269ca6630b670153539b43182c92a6d9
```

### Read - Response (JSON)

```
{
  "resourceType": "Condition",
  "id": "269ca6630b670153539b43182c92a6d9",
  "clinicalStatus": "active",
  "category": [
    {
      "coding": [
        {
          "system": "http://hl7.org/fhir/condition-category",
          "code": "problem",
          "display": "Problem"
        }
      ]
    }
  ],
  "code": {
```

```

"coding": [
  {
    "system": "icd10cm",
    "code": "E11.8",
    "display": "Type 2 diabetes mellitus with unspecified complications"
  },
  {
    "system": "snomed",
    "code": "44054006",
    "display": "Type 2 diabetes mellitus"
  }
],
"subject": {
  "reference": "Patient/2c92a6ba2de2b12c012ded437fca1f6e"
},
"onsetDateTime": "2016-03-24T00:00:00+00:00"
}

```

### Search - Request

Returns one or more condition entries (as a bundle) for the patient in the specified date range:

```
GET https://base_url/quantum-ehr-fhir-server/fhir/Condition?patient=
2c92a6ba2de2b12c012ded437fca1f6e&startDate=2017-01-01&endDate=2018-12-31
```

### Search - Response (JSON)

**Note:** Only a portion of the response is included for this example.

```

{
  "resourceType": "Bundle",
  "id": "0f6403e5-72eb-44e5-b74e-827a362f4906",
  "meta": {
    "lastUpdated": "2018-03-19T17:32:33.767+00:00"
  },
  "type": "searchset",
  "total": 2,
  "link": [
    {
      "relation": "self",
      "url": "https://base_url/quantum-ehr-fhir-server/fhir/Condition?endDate=2018-12-31&
        patient=2c92a6ba2de2b12c012ded437fca1f6e&startDate=2017-01-01"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://base_url/quantum-ehr-fhir-server/fhir/Condition/
        2aba2d922c3b01565623b9052c92a6bb",
      "resource": {
        "resourceType": "Condition",

```

```

"id": "2aba2d922c3b01565623b9052c92a6bb",
"clinicalStatus": "active",
"category": [
  {
    "coding": [
      {
        "system": "http://hl7.org/fhir/condition-category",
        "code": "problem",
        "display": "Problem"
      }
    ]
  }
],
"code": {
  "coding": [
    {
      "system": "icd10cm",
      "code": "E11",
      "display": "Type 2 diabetes mellitus"
    }
  ]
},
"subject": {
  "reference": "Patient/2c92a6ba2de2b12c012ded437fca1f6e"
},
"onsetDateTime": "2016-07-27T00:00:00+00:00"
}
},

```

## Smoking Status

<b>Description</b>	Retrieves a patient's smoking status. <b>Note:</b> The SmokingStatus resource is an implementation of the FHIR Observation resource.
<b>Method</b>	GET
<b>Supported Interactions</b>	<ul style="list-style-type: none"> <li>• <a href="#">Search</a></li> <li>• <a href="#">Read</a></li> </ul>
<b>Response Format</b>	application/JSON

### Parameters

The following search parameters are supported for the Smoking Status resource.

**Note:** If no entries are available for the specified parameters, a 404 response code is received. For an example of this response, see ["Not Found Response" on page 12](#).

Parameter	Description	Type	Required
patient	The patient's unique identifier. The patient identifier can be retrieved by performing a patient search. For more information, see <a href="#">"Patient" on page 14</a> .	string	Y
identifier	The unique identifier for a specific clinical entry. The clinical entry identifier can be retrieved by performing a search for a patient's smoking status.	string	N
startDate	<p>A date used to filter entries by clinically relevant date, in the following format:</p> <p><i>yyyy-mm-dd</i></p> <p>If a start date is specified, only entries with a clinically relevant date that occurs on or after the specified start date are returned.</p> <p><b>Note:</b> A start date may be used with or without an end date.</p>	date	N
endDate	<p>A date used to filter entries by clinically relevant date, in the following format:</p> <p><i>yyyy-mm-dd</i></p> <p>If an end date is specified, only entries with a clinically relevant date that occurs on or before the specified end date are returned.</p> <p><b>Note:</b> An end date may be used with or without a start date.</p>	date	N

## Response Fields

The following fields may appear in a JSON response for the Smoking Status resource.

Field	Description	Type	Cardinality
resourceType	Identifies the resource.	SmokingStatus	1..1
id	The unique identifier for the clinical entry.	Identifier	1..1
status	The status of the observation. Final is the only supported value.	code	1..1
category	Classifies the general type of observation being made.	CodeableConcept	1..1
code	Observation's type or code.	CodeableConcept	1..1
subject	The patient associated with the smoking status, described by the patient's unique identifier preceded by <i>Patient/</i> .	Reference (Patient   Group   Device   Location)	1..1
issued	The date and time this observation was recorded.	instant	0..1
valueCodeableConcept	The smoking status.	CodeableConcept	0..1

## Example Requests and Responses

**Note:** For information about the environments represented by *base\_url* in the examples below, see ["API Endpoints" on page 8](#).

### Read - Request

Returns a single smoking status entry for the patient using the specified clinical entry identifier:

```
GET https://base_url/quantum-ehr-fhir-server/fhir/DEMO_ORG/SmokingStatus/  
7e9ab420ac4b016161af73602c92a6d9
```

### Read - Response (JSON)

```
{  
  "resourceType": "SmokingStatus",  
  "id": "7e9ab420ac4b016161af73602c92a6d9",  
  "meta": {  
    "profile": [  
      "http://hl7.org/fhir/Profile/SmokingStatus"  
    ]  
  },  
  "status": "final",  
  "category": [  
    {  
      "coding": [  
        {  
          "system": "http://hl7.org/fhir/observation-category",
```

```

        "code": "social-history",
        "display": "Social History"
    }
],
"text": "Social History"
}
],
"code": {
  "coding": [
    {
      "system": "http://loinc.org",
      "code": "72166-2",
      "display": "Tobacco smoking status NHIS"
    }
  ]
},
"subject": {
  "reference": "Patient/2c92a6bb47927703014792f3036a0152"
},
"issued": "2018-02-20T16:51:35.627+00:00",
"valueCodeableConcept": {
  "coding": [
    {
      "system": "http://snomed.info/sct",
      "code": "77176002",
      "display": "Smoker, current status unknown"
    }
  ],
  "text": "Smoker, current status unknown"
}
}
}

```

### Search - Request

Returns one or more smoking status entries (as a bundle) for the patient in the specified date range:

```
GET https://base_url/quanum-ehr-fhir-server/fhir/DEMO_ORG/SmokingStatus?
patient=2c92a6bb47927703014792f3036a0152&startDate=2018-01-01&endDate=2018-12-31
```

### Search - Response (JSON)

**Note:** Only a portion of the response is included for this example.

```

{
  "resourceType": "Bundle",
  "id": "1a5693e0-a9fe-4ee3-84e2-aa1c7f03391e",
  "meta": {
    "lastUpdated": "2018-03-23T15:00:43.773+00:00"
  },
  "type": "searchset",
  "total": 4,

```

```

"link": [
  {
    "relation": "self",
    "url": "https://base_url/quanum-ehr-fhir-server/fhir/SmokingStatus?endDate=
      2018-12-31&patient=2c92a6bb47927703014792f3036a0152&startDate=2018-01-01"
  }
],
"entry": [
  {
    "fullUrl": "https://base_url/quanum-ehr-fhir-server/fhir/SmokingStatus/
      7e97b420ac3c016161af73602c92a6d9",
    "resource": {
      "resourceType": "SmokingStatus",
      "id": "7e97b420ac3c016161af73602c92a6d9",
      "meta": {
        "profile": [
          "http://hl7.org/fhir/Observation"
        ]
      },
      "text": {
        "status": "generated",
        "div": "<div xmlns=\\"http://www.w3.org/1999/xhtml\"><p>Description: desc2; Start
          Date/Age: 37; End Date/Age: 50; Amount/Frequency: 2 times a day; Treatment:
          Treatment1; Notes: notes for smoking status</p><p>Description: Test Desc; Start
          Date/Age: 34; End Date/Age: 45; Amount/Frequency: 2 times a day; Treatment: treated
          for cancer; Notes: notes for smoking status</p></div>"
      },
      "status": "final",
      "category": [
        {
          "coding": [
            {
              "system": "http://hl7.org/fhir/observation-category",
              "code": "social-history",
              "display": "Social History"
            }
          ],
          "text": "Social History"
        }
      ],
      "code": {
        "coding": [
          {
            "system": "http://loinc.org",
            "code": "72166-2",
            "display": "Tobacco smoking status NHIS"
          }
        ]
      }
    },
  },

```

```
"subject": {
  "reference": "Patient/2c92a6bb47927703014792f3036a0152"
},
"issued": "2018-02-20T16:51:35.612+00:00",
"valueCodeableConcept": {
  "coding": [
    {
      "system": "http://snomed.info",
      "code": "449868002",
      "display": "Current every day smoker"
    }
  ],
  "text": "Current every day smoker"
}
},
```

## Medication Statement

<b>Description</b>	Retrieves a patient's medication history, not including vaccines. For information about retrieving vaccines, see " <a href="#">Immunization</a> " on page 54.
<b>Method</b>	GET
<b>Supported Interactions</b>	<ul style="list-style-type: none"><li>• <a href="#">Search</a></li><li>• <a href="#">Read</a></li></ul>
<b>Response Format</b>	application/JSON

### Parameters

The following search parameters are supported for the Medication Statement resource.

**Note:** If no entries are available for the specified parameters, a 404 response code is received. For an example of this response, see "[Not Found Response](#)" on page 12.

Parameter	Description	Type	Req'd
patient	The patient's unique identifier. The patient identifier can be retrieved by performing a patient search. For more information, see " <a href="#">Patient</a> " on page 14.	string	Y
identifier	The unique identifier for a specific clinical entry. The clinical entry identifier can be retrieved by performing a search for a patient's medications.	string	N
startDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i>  If a start date is specified, only entries with a clinically relevant date that occurs on or after the specified start date are returned. <b>Note:</b> A start date may be used with or without an end date.	date	N
endDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i>  If an end date is specified, only entries with a clinically relevant date that occurs on or before the specified end date are returned. <b>Note:</b> An end date may be used with or without a start date.	date	N

## Response Fields

The following fields may appear in a JSON response for the Medication Statement resource.

Field	Description	Type	Cardinality
resourceType	Identifies the resource.	MedicationStatement	1..1
id	The unique identifier for the clinical entry.	Identifier	1..1
status	Indicates the status of the medication. Supported values included active, completed, entered-in-error, or intended.	code	1..1
medicationCodeableConcept	The medication that was taken or is being taken.	CodeableConcept	1..1
effectivePeriod	The period of time that the medication was taken.	Period	0..1
dateAsserted	The date/time that the medication was issued.	dateTime	1..1
subject	The patient associated with the medication, described by the patient's unique identifier preceded by <i>Patient/</i> .	Reference(Patient   Group)	1..1
dosage	Indicates how the medication is/was being taken.	Dosage	1..1
reasonCode	An associated diagnosis.	CodeableConcept	0..*

## Example Requests and Responses

**Note:** For information about the environments represented by *base\_url* in the examples below, see ["API Endpoints" on page 8](#).

### Read - Request

Returns a single medication entry for the patient using the specified clinical entry identifier:

```
GET https://base_url/quantum-ehr-fhir-server/fhir/MedicationStatement/  
1dab8b6d14110161617626c02c92a6d9
```

### Read - Response (JSON)

```
{  
  "resourceType": "MedicationStatement",  
  "id": "1dab8b6d14110161617626c02c92a6d9",  
  "status": "active",  
  "medicationCodeableConcept": {  
    "coding": [  

```

```

    {
      "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
      "code": "1243440",
      "display": "Tylenol 8 Hour"
    }
  ],
  "text": "Tylenol 8 Hour 650 mg tablet, extended release"
},
"effectivePeriod": {
  "start": "2018-01-24T00:00:00+00:00"
},
"dateAsserted": "2018-01-24T00:00:00+00:00",
"subject": {
  "reference": "Patient/2c92a6ba2de2b12c012ded437fca1f6e"
},
"dosage": [
  {
    "text": "tablet, extended release ",
    "route": {
      "coding": [
        {
          "system": "http://hl7.org/fhir/ValueSet/route-codes",
          "code": "PO",
          "display": "PO (Oral)"
        }
      ]
    }
  ]
}
]
}

```

### Search - Request

Returns one or more medication entries (as a bundle) for the patient in the specified date range:

```
GET https://base_url/quantum-ehr-fhir-server/fhir/MedicationStatement?patient=2c92a6ba2de2b12c012ded437fca1f6e&startDate=2018-01-01&endDate=2018-02-02
```

### Search - Response (JSON)

```

{
  "resourceType": "Bundle",
  "id": "6b47d244-65b4-473b-b73c-8e30d0daa377",
  "meta": {
    "lastUpdated": "2018-03-15T20:44:56.840+00:00"
  },
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",

```

```

    "url": "https://base_url/quanum-ehr-fhir-server/fhir/MedicationStatement?endDate=
      2018-02-02&patient=2c92a6ba2de2b12c012ded437fca1f6e&startDate=2018-01-01"
  }
],
"entry": [
  {
    "fullUrl": "https://base_url/quanum-ehr-fhir-server/fhir/MedicationStatement/
      1dab8b6d14110161617626c02c92a6d9",
    "resource": {
      "resourceType": "MedicationStatement",
      "id": "1dab8b6d14110161617626c02c92a6d9",
      "status": "active",
      "medicationCodeableConcept": {
        "coding": [
          {
            "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
            "code": "1243440",
            "display": "Tylenol 8 Hour"
          }
        ],
        "text": "Tylenol 8 Hour 650 mg tablet, extended release"
      },
      "effectivePeriod": {
        "start": "2018-01-24T00:00:00+00:00"
      },
      "dateAsserted": "2018-01-24T00:00:00+00:00",
      "subject": {
        "reference": "Patient/2c92a6ba2de2b12c012ded437fca1f6e"
      },
      "dosage": [
        {
          "text": "tablet, extended release ",
          "route": {
            "coding": [
              {
                "system": "http://hl7.org/fhir/ValueSet/route-codes",
                "code": "PO",
                "display": "PO (Oral)"
              }
            ]
          }
        }
      ]
    }
  }
]
}

```

## Allergy Intolerance

<b>Description</b>	Retrieves a patient's allergies/adverse reactions to foods, medications, substances, or devices.
<b>Method</b>	GET
<b>Supported Interactions</b>	<ul style="list-style-type: none"><li>• <a href="#">Search</a></li><li>• <a href="#">Read</a></li></ul>
<b>Response Format</b>	application/JSON

### Parameters

The following search parameters are supported for the Allergy Intolerance resource.

**Note:** If no entries are available for the specified parameters, a 404 response code is received. For an example of this response, see ["Not Found Response" on page 12](#).

Parameter	Description	Type	Req'd
patient	The patient's unique identifier. The patient identifier can be retrieved by performing a patient search. For more information, see <a href="#">"Patient" on page 14</a> .	string	Y
identifier	The unique identifier for a specific clinical entry. The clinical entry identifier can be retrieved by performing a search for a patient's allergies.	string	N
startDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i> If a start date is specified, only entries with a clinically relevant date that occurs on or after the specified start date are returned. <b>Note:</b> A start date may be used with or without an end date.	date	N
endDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i> If an end date is specified, only entries with a clinically relevant date that occurs on or before the specified end date are returned. <b>Note:</b> An end date may be used with or without a start date.	date	N

## Response Fields

The following fields may appear in a JSON response for the Allergy Intolerance resource.

Field	Description	Type	Cardinality
resourceType	Identifies the resource.	AllergyIntolerance	1..1
id	The unique identifier for the clinical entry.	Identifier	1..1
clinicalStatus	The clinical status of the allergy. Supported values include active or inactive.	code	1..1
type	The underlying physiological mechanism for the reaction risk. The only supported value is allergy.	code	1..1
category	The category of the identified substance. Supported values include food, medication, or environment.	code	0..1
patient	The patient associated with the allergy, described by the patient's unique identifier preceded by <i>Patient/</i> .	Reference (Patient)	1..1
onsetPeriod	The period of time when the allergy was identified, defined by a start and end date/time.	dateTime	0..1
assertedDate	The date and time on which the existence of the allergy was first declared or acknowledged.	dateTime	0..1
reaction	Details about the adverse reaction to an identified substance.	BackboneElement	0..1
substance	The specific substance that is considered responsible for the adverse reaction.	CodeableConcept	0..1
manifestation	The clinical symptoms and/or signs that are observed or associated with the adverse reaction.	CodeableConcept	1..*
onset	The date and/or time of the onset of the reaction.	dateTime	0..1
severity	The clinical assessment of the severity of the adverse reaction as a whole. Supported values include mild, moderate, or severe.	code	0..1
note	Additional text about the adverse reaction not captured in other fields.	Annotation	0..*

## Example Requests and Responses

**Note:** For information about the environments represented by *base\_url* in the examples below, see ["API Endpoints" on page 8](#).

### Read - Request

Returns a single allergy entry for the patient using the specified clinical entry identifier:

```
GET https://base_url/quanum-ehr-fhir-server/fhir/AllergyIntolerance/02a14cb1dedd016161432e154028b881
```

### Read - Response (JSON)

```
{
  "resourceType": "AllergyIntolerance",
  "id": "02a14cb1dedd016161432e154028b881",
  "clinicalStatus": "active",
  "type": "allergy",
  "category": [
    "food"
  ],
  "patient": {
    "reference": "Patient/2c92bb06542f05df01542f758f490011"
  },
  "onsetPeriod": {
    "start": "2008-01-31T00:00:00+00:00"
  },
  "assertedDate": "2018-01-31T14:49:40+00:00",
  "reaction": [
    {
      "substance": {
        "coding": [
          {
            "system": "http://snomed.info/sct",
            "code": "91935009",
            "display": "Peanut"
          }
        ],
        "text": "Peanut"
      },
      "manifestation": [
        {
          "coding": [
            {
              "system": "http://snomed.info/sct",
              "code": "7899002",
              "display": "Feeling of throat tightness"
            }
          ],
          "text": "Feeling of throat tightness"
        }
      ]
    }
  ]
}
```

```

    {
      "coding": [
        {
          "system": "http://hl7.org/fhir/sid/icd-10",
          "code": "R09.89",
          "display": "Other specified symptoms and signs involving the circulatory and
            respiratory systems"
        }
      ],
      "text": "Other specified symptoms and signs involving the circulatory and respiratory
        systems"
    }
  ],
  "onset": "2008-01-31T00:00:00+00:00",
  "severity": "moderate"
}
]
}

```

### Search - Request

Returns one or more allergy entries (as a bundle) for the patient in the specified date range:

```
GET https://base_url/quantum-ehr-fhir-server/fhir/AllergyIntolerance?patient=
2c92a6ba2de2b12c012ded437fca1f6e&startDate=2017-01-01&endDate=2018-12-31
```

### Search - Response (JSON)

**Note:** Only a portion of the response is included for this example.

```

{
  "resourceType": "Bundle",
  "id": "93a0190e-a095-4170-alfa-22143dfccee6",
  "meta": {
    "lastUpdated": "2018-03-07T20:27:58.541+00:00"
  },
  "type": "searchset",
  "total": 2,
  "link": [
    {
      "relation": "self",
      "url": "https://base_url/quantum-ehr-fhir-server/fhir/AllergyIntolerance?endDate=
        2018-12-31&patient=2c92a6ba2de2b12c012ded437fca1f6e&startDate=2017-01-01"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://base_url/quantum-ehr-fhir-server/fhir/AllergyIntolerance/
        4833e98a3289015454e9780c2c92a6bb",
      "resource": {
        "resourceType": "AllergyIntolerance",

```

```

"id": "4833e98a3289015454e9780c2c92a6bb",
"clinicalStatus": "active",
"type": "allergy",
"patient": {
  "reference": "Patient/2c92a6ba2de2b12c012ded437fca1f6e"
},
"onsetPeriod": {
  "start": "2016-05-25T00:00:00+00:00"
},
"assertedDate": "2017-09-19T13:23:51+00:00",
"reaction": [
  {
    "substance": {
      "coding": [
        {
          "display": "penicillins"
        }
      ]
    },
    "onset": "2016-05-25T00:00:00+00:00",
    "severity": "severe"
  }
]
},
},

```

## Vital Signs

<b>Description</b>	Retrieves a patient's vital signs, including weight, height, temperature, pulse/heart rate, respiration, oxygen saturation, body mass index (BMI), blood pressure, and head circumference. <b>Note:</b> The VitalSigns resource is an implementation of the FHIR Observation resource.
<b>Method</b>	GET
<b>Supported Interactions</b>	<ul style="list-style-type: none"><li>• <a href="#">Search</a></li><li>• <a href="#">Read</a></li></ul>
<b>Response Format</b>	application/JSON

### Parameters

The following search parameters are supported for the Vital Signs resource.

**Note:** If no entries are available for the specified parameters, a 404 response code is received. For an example of this response, see "[Not Found Response](#)" on page 12.

Parameter	Description	Type	Req'd
patient	The patient's unique identifier. The patient identifier can be retrieved by performing a patient search. For more information, see " <a href="#">Patient</a> " on page 14.	string	Y
identifier	The unique identifier for a specific clinical entry. The clinical entry identifier can be retrieved by performing a search for a patient's vital signs.	string	N
category	One of the following vital sign categories: <ul style="list-style-type: none"><li>• Weight</li><li>• Height</li><li>• Temperature</li><li>• HeartRate</li><li>• RespiratoryRate</li><li>• OxygenSaturation</li><li>• BodyMassIndex</li><li>• BloodPressure</li><li>• HeadCircumference</li></ul>	string	N
startDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i>	date	N

Parameter	Description	Type	Req'd
	<p>If a start date is specified, only entries with a clinically relevant date that occurs on or after the specified start date are returned.</p> <p><b>Note:</b> A start date may be used with or without an end date.</p>		
endDate	<p>A date used to filter entries by clinically relevant date, in the following format:</p> <p><i>yyyy-mm-dd</i></p> <p>If an end date is specified, only entries with a clinically relevant date that occurs on or before the specified end date are returned.</p> <p><b>Note:</b> An end date may be used with or without a start date.</p>	date	N

### Response Fields

The following fields may appear in a JSON response for the Vital Signs resource.

Field	Description	Type	Cardinality
resourceType	Identifies the resource.	Condition	1..1
id	The unique identifier for the vital sign, made up of the clinical entry identifier followed by a - (hyphen) and the category.	Identifier	1..1
status	The status of the vital result. Final is the only supported value.	code	1..1
category	Classifies the general type of observation being made.	CodeableConcept	0..*
code	The vital sign's code and/or description.	CodeableConcept	1..1
subject	The patient associated with the vital sign, described by the patient's unique identifier preceded by <i>Patient/</i> .	Reference (Patient   Group   Device   Location)	1..1
context	The clinical entry identifier for the encounter during which the vital sign was recorded.	Reference (Encounter   EpisodeOfCare)	0..1
issued	The date and time the vitals were recorded.	instant	0..1
valueQuantity	The vital result value and unit of measure.	Quantity	0..1

## Example Requests and Responses

**Note:** For information about the environments represented by *base\_url* in the examples below, see ["API Endpoints" on page 8](#).

### Read - Request

Returns a single blood pressure vital sign entry for the patient using the specified vital sign identifier:

```
GET https://base_url/quanum-ehr-fhir-server/fhir/VitalSigns/2b88304774c101626207bd382c92a6d9-BloodPressure
```

### Read - Response (JSON)

```
{
  "resourceType": "VitalSigns",
  "id": "2b88304774c101626207bd382c92a6d9-BloodPressure",
  "meta": {
    "profile": [
      "http://hl7.org/fhir/Observation"
    ]
  },
  "status": "final",
  "category": [
    {
      "coding": [
        {
          "system": "http://hl7.org/fhir/observation-category",
          "code": "vital-signs",
          "display": "Vital Signs"
        }
      ],
      "text": "Vital Signs"
    }
  ],
  "code": {
    "coding": [
      {
        "system": "http://loinc.org",
        "code": "85354-9",
        "display": "Blood pressure panel with all children optional"
      }
    ],
    "text": "Blood pressure panel with all children optional"
  },
  "subject": {
    "reference": "Patient/2c92a6d96207bd38016230465739268c"
  },
  "context": {
    "display": "2b893047752f01626207bd382c92a6d9"
  },
  "issued": "2018-03-16T05:00:00.000+00:00",
```

```

"component": [
  {
    "code": {
      "coding": [
        {
          "system": "http://loinc.org",
          "code": "8480-6",
          "display": "Systolic blood pressure"
        }
      ],
      "text": "Systolic blood pressure"
    },
    "valueQuantity": {
      "value": 170,
      "unit": "mmHg",
      "system": "http://unitsofmeasure.org",
      "code": "mm[Hg]"
    }
  },
  {
    "code": {
      "coding": [
        {
          "system": "http://loinc.org",
          "code": "8462-4",
          "display": "Diastolic blood pressure"
        }
      ],
      "text": "Diastolic blood pressure"
    },
    "valueQuantity": {
      "value": 80,
      "unit": "mmHg",
      "system": "http://unitsofmeasure.org",
      "code": "mm[Hg]"
    }
  }
]
}

```

## Search - Request

Returns one or more BMI vital sign entries (as a bundle) for the patient:

```
GET https://base_url/quantum-ehr-fhir-server/fhir/VitalSigns?patient=2c92a6d96207bd38016230465739268c&category=BodyMassIndex
```

## Search - Response (JSON)

```
{
  "resourceType": "Bundle",
  "id": "384c8007-d2ba-4013-94a4-94e33dbf0d68",
  "meta": {
    "lastUpdated": "2018-03-20T01:50:18.397+00:00"
  },
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://base_url/quantum-ehr-fhir-server/fhir/VitalSigns?category=BodyMassIndex&patient=2c92a6d96207bd38016230465739268c"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://base_url/quantum-ehr-fhir-server/fhir/VitalSigns/2b88304774c101626207bd382c92a6d9-BodyMassIndex",
      "resource": {
        "resourceType": "VitalSigns",
        "id": "2b88304774c101626207bd382c92a6d9-BodyMassIndex",
        "meta": {
          "profile": [
            "http://hl7.org/fhir/Observation"
          ]
        },
        "status": "final",
        "category": [
          {
            "coding": [
              {
                "system": "http://hl7.org/fhir/observation-category",
                "code": "vital-signs",
                "display": "Vital Signs"
              }
            ],
            "text": "Vital Signs"
          }
        ],
        "code": {
          "coding": [
            {

```

```

        "system": "http://loinc.org",
        "code": "39156-5",
        "display": "Body mass index (BMI) [Ratio]"
    }
  ],
  "text": "Body mass index (BMI) [Ratio]"
},
"subject": {
  "reference": "Patient/2c92a6d96207bd38016230465739268c"
},
"context": {
  "display": "2b893047752f01626207bd382c92a6d9"
},
"issued": "2018-03-16T05:00:00.000+00:00",
"valueQuantity": {
  "value": 39669.421875,
  "unit": "kg/m2",
  "system": "http://unitsofmeasure.org",
  "code": "kg/m2"
}
}
}
]
}

```

## Procedure

<b>Description</b>	Retrieves a patient's procedures.
<b>Method</b>	GET
<b>Supported Interactions</b>	<ul style="list-style-type: none"><li>• <a href="#">Search</a></li><li>• <a href="#">Read</a></li></ul>
<b>Response Format</b>	application/JSON

## Parameters

The following search parameters are supported for the Procedure resource.

**Note:** If no entries are available for the specified parameters, a 404 response code is received. For an example of this response, see "[Not Found Response](#)" on page 12.

Parameter	Description	Type	Req'd
patient	The patient's unique identifier. The patient identifier can be retrieved by performing a patient search. For more information, see " <a href="#">Patient</a> " on page 14.	string	Y
identifier	The unique identifier for the procedure, made up the clinical entry identifier, or the clinical entry identifier followed by the procedure key. The identifier can be retrieved by performing a search for a patient's procedures.	string	N
startDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i>  If a start date is specified, only entries with a clinically relevant date that occurs on or after the specified start date are returned. <b>Note:</b> A start date may be used with or without an end date.	date	N
endDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i>  If an end date is specified, only entries with a clinically relevant date that occurs on or before the specified end date are returned. <b>Note:</b> An end date may be used with or without a start date.	date	N

## Response Fields

The following fields may appear in a JSON response for the Procedure resource.

Field	Description	Type	Cardinality
resourceType	Identifies the resource.	Procedure	1..1
id	The unique identifier for the procedure, made up the clinical entry identifier, or the clinical entry identifier followed by a - (hyphen) and the procedure key.	Identifier	1..1
status	Identifies the state of the procedure. Completed is the only supported value.	code	1..1
subject	The patient associated with the procedure, described by the patient's unique identifier preceded by <i>Patient/</i> .	Reference(Patient   Group)	1..1
code	The performed procedure.	CodeableConcept	0..1
performedDateTime	The date and time the procedure was performed.	dateTime	0..1
performer	The clinician or provider who performed the procedure.	BackboneElement	0..1

## Example Requests and Responses

**Note:** For information about the environments represented by *base\_url* in the examples below, see ["API Endpoints" on page 8](#).

### Read - Request

Returns a single procedure entry for the patient using the specified clinical entry identifier:

```
GET https://base_url/quantum-ehr-fhir-server/fhir/Procedure/1c61119fdaaa0158580c8bfb2c92a6bb
```

### Read - Response (JSON)

```
{
  "resourceType": "Procedure",
  "id": "1c61119fdaaa0158580c8bfb2c92a6bb",
  "status": "completed",
  "code": {
    "coding": [
      {
        "system": "http://www.ama-assn.org/go/cpt",
        "code": "49020",
        "display": "DRAINAGE PERITON ABSCESS/LOCAL PERITONITIS OPEN"
      },
      {
        "system": "http://snomed.info",
        "code": "265401004",

```

```

        "display": "Drainage of colon"
    }
  ]
},
"subject": {
  "reference": "Patient/2c92a6ba2de2b12c012ded437fca1f6e"
},
"performedDateTime": "2016-10-29T20:07:17+00:00"
}

```

### Search - Request

Returns one or more procedure entries (as a bundle) for the patient in the specified date range:

```
GET https://base_url/quanum-ehr-fhir-server/fhir/Procedure?patient=
2c92a6ba2de2b12c012ded437fca1f6e&startDate=2017-01-01&endDate=2018-12-31
```

### Search - Response (JSON)

**Note:** Only a portion of the response is included for this example.

```

{
  "resourceType": "Bundle",
  "id": "19c3f3ea-c381-4fc4-8327-8722ddc40580",
  "meta": {
    "lastUpdated": "2018-03-23T14:48:46.440+00:00"
  },
  "type": "searchset",
  "total": 3,
  "link": [
    {
      "relation": "self",
      "url": "https://base_url/quanum-ehr-fhir-server/fhir/Procedure?endDate=2018-12-31&
        patient=2c92a6ba2de2b12c012ded437fca1f6e&startDate=2017-01-01"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://base_url/quanum-ehr-fhir-server/fhir/Procedure/
        2c92a6be353e419c0135531c98d85c3b",
      "resource": {
        "resourceType": "Procedure",
        "id": "2c92a6be353e419c0135531c98d85c3b",
        "status": "completed",
        "code": {
          "coding": [
            {
              "code": "84432",
              "display": "THYROGLOBULIN"
            }
          ]
        }
      }
    }
  ]
}

```

```
    },  
    "subject": {  
      "reference": "Patient/2c92a6ba2de2b12c012ded437fca1f6e"  
    },  
    "performedDateTime": "2017-12-22T17:43:36+00:00"  
  }  
},
```

## Lab Results

<b>Description</b>	Retrieves a patient's lab results. <b>Note:</b> The LabResults resource is an implementation of the FHIR Observation resource.
<b>Method</b>	GET
<b>Supported Interactions</b>	<ul style="list-style-type: none"><li>• <a href="#">Search</a></li><li>• <a href="#">Read</a></li></ul>
<b>Response Format</b>	application/JSON

### Parameters

The following search parameters are supported for the Lab Results resource.

**Note:** If no entries are available for the specified parameters, a 404 response code is received. For an example of this response, see "[Not Found Response](#)" on page 12.

Parameter	Description	Type	Req'd
patient	The patient's unique identifier. The patient identifier can be retrieved by performing a patient search. For more information, see " <a href="#">Patient</a> " on page 14.	string	Y
identifier	The unique identifier for a specific clinical entry. The clinical entry identifier can be retrieved by performing a search for a patient's lab results.	string	N
startDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i> If a start date is specified, only entries with a clinically relevant date that occurs on or after the specified start date are returned. <b>Note:</b> A start date may be used with or without an end date.	date	N
endDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i> If an end date is specified, only entries with a clinically relevant date that occurs on or before the specified end date are returned. <b>Note:</b> An end date may be used with or without a start date.	date	N

## Response Fields

The following fields may appear in a JSON response for the Lab Results resource.

Field	Description	Type	Cardinality
resourceType	Identifies the resource.	LabResults	1..1
id	The unique identifier for the lab result, made up of the clinical entry identifier followed by a - (hyphen) , then the test identifier, another - (hyphen), and the result identifier.	Identifier	1..1
status	The status of the lab result. Supported values include final, preliminary, registered, corrected, entered-in-error, unknown, or amended.	code	1..1
category	Classifies the general type of observation being made.	CodeableConcept	0..*
code	The test's code and/or description.	CodeableConcept	1..1
subject	The patient associated with the lab result, described by the patient's unique identifier preceded by <i>Patient/</i> .	Reference(Patient   Group   Device   Location)	1..1
issued	The date and time that the lab result was received.	instant	0..1
valueQuantity	The result value and unit of measure.	Quantity	0..1
valueCodeableConcept	The result value.	CodeableConcept	0..1
interpretation	The assessment made based on the result value.	CodeableConcept	0..1
comment	Notes about the result value.	string	0..1
referenceRange	Reference range for the result value.	BackboneElement	0..*

## Example Requests and Responses

**Note:** For information about the environments represented by *base\_url* in the examples below, see ["API Endpoints" on page 8](#).

### Read - Request

Returns a single lab result entry for the patient using the specified lab result identifier:

```
GET https://base_url/quantum-ehr-fhir-server/fhir/LabResults/  
2c92a6a31b36c15b011b372c8eb60009-1-1
```

## Read - Response (JSON)

```
{
  "resourceType": "LabResults",
  "id": "2c92a6a31b36c15b011b372c8eb60009-1-1",
  "meta": {
    "profile": [
      "http://hl7.org/fhir/Observation"
    ]
  },
  "status": "final",
  "category": [
    {
      "coding": [
        {
          "system": "http://hl7.org/fhir/observation-category",
          "code": "laboratory",
          "display": "Laboratory"
        }
      ],
      "text": "Laboratory"
    }
  ],
  "code": {
    "coding": [
      {
        "system": "http://loinc.org",
        "code": "6690-2",
        "display": "WHITE BLOOD CELL COUNT"
      }
    ],
    "text": "WHITE BLOOD CELL COUNT"
  },
  "subject": {
    "reference": "Patient/2c92a6a31b36c15b011b372c8e8c0008"
  },
  "issued": "2004-02-10T00:00:00.000+00:00",
  "valueQuantity": {
    "value": 7.6,
    "unit": "THOUS/MCL",
    "system": "http://unitsofmeasure.org",
    "code": "THOUS/MCL"
  },
  "interpretation": {
    "coding": [
      {
        "system": "http://hl7.org/fhir/v2/0078",
        "code": "N",
        "display": "Normal"
      }
    ]
  }
}
```

```

    ]
  },
  "comment": "OBX Segment Comments (Result)",
  "referenceRange": [
    {
      "text": "3.8-10.8"
    }
  ]
}

```

### Search - Request

Returns one or more lab result entries (as a bundle) for the patient, for the specified lab results identifier and date range:

```

GET https://base_url/quantum-ehr-fhir-server/fhir/LabResults?patient=
2c92a6a31b36c15b011b372c8e8c0008&identifier=2c92a6a31b36c15b011b372c8eb60009
&startDate=2004-02-10&endDate=2004-03-10

```

### Search - Response (JSON)

**Note:** Only a portion of the response is included for this example.

```

{
  "resourceType": "Bundle",
  "id": "f30c0520-510f-4f65-b51d-4898081c6071",
  "meta": {
    "lastUpdated": "2018-03-16T17:16:45.697+00:00"
  },
  "type": "searchset",
  "total": 33,
  "link": [
    {
      "relation": "self",
      "url": "https://base_url/quantum-ehr-fhir-server/fhir/LabResults?endDate=2004-03-10&
        identifier=2c92a6a31b36c15b011b372c8eb60009&patient=2c92a6a31b36c15b011b372c8e8c0008&
        startDate=2004-02-10"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://base_url/quantum-ehr-fhir-server/fhir/LabResults/
        2c92a6a31b36c15b011b372c8eb60009-1-1",
      "resource": {
        "resourceType": "LabResults",
        "id": "2c92a6a31b36c15b011b372c8eb60009-1-1",
        "meta": {
          "profile": [
            "http://hl7.org/fhir/Observation"
          ]
        }
      },
    }
  ],
}

```

```

"status": "final",
"category": [
  {
    "coding": [
      {
        "system": "http://hl7.org/fhir/observation-category",
        "code": "laboratory",
        "display": "Laboratory"
      }
    ],
    "text": "Laboratory"
  }
],
"code": {
  "coding": [
    {
      "system": "http://loinc.org",
      "code": "6690-2",
      "display": "WHITE BLOOD CELL COUNT"
    }
  ],
  "text": "WHITE BLOOD CELL COUNT"
},
"subject": {
  "reference": "Patient/2c92a6a31b36c15b011b372c8e8c0008"
},
"issued": "2004-02-10T00:00:00.000+00:00",
"valueQuantity": {
  "value": 7.6,
  "unit": "THOUS/MCL",
  "system": "http://unitsofmeasure.org",
  "code": "THOUS/MCL"
},
"interpretation": {
  "coding": [
    {
      "system": "http://hl7.org/fhir/v2/0078",
      "code": "N",
      "display": "Normal"
    }
  ]
},
"comment": "OBX Segment Comments (Result)",
"referenceRange": [
  {
    "text": "3.8-10.8"
  }
]
}

```

```

},
{
  "fullUrl": "https://base_url/quanum-ehr-fhir-server/fhir/LabResults/
    2c92a6a31b36c15b011b372c8eb60009-1-2",
  "resource": {
    "resourceType": "LabResults",
    "id": "2c92a6a31b36c15b011b372c8eb60009-1-2",
    "meta": {
      "profile": [
        "http://hl7.org/fhir/Observation"
      ]
    },
    "status": "final",
    "category": [
      {
        "coding": [
          {
            "system": "http://hl7.org/fhir/observation-category",
            "code": "laboratory",
            "display": "Laboratory"
          }
        ],
        "text": "Laboratory"
      }
    ],
    "code": {
      "coding": [
        {
          "system": "http://loinc.org",
          "code": "789-8",
          "display": "RED BLOOD CELL COUNT"
        }
      ],
      "text": "RED BLOOD CELL COUNT"
    },
    "subject": {
      "reference": "Patient/2c92a6a31b36c15b011b372c8e8c0008"
    },
    "issued": "2004-02-10T00:00:00.000+00:00",
    "valueQuantity": {
      "value": 4.16,
      "unit": "MILL/MCL",
      "system": "http://unitsofmeasure.org",
      "code": "MILL/MCL"
    },
    "interpretation": {
      "coding": [
        {
          "system": "http://hl7.org/fhir/v2/0078",

```

```
        "code": "N",
        "display": "Normal"
      }
    ]
  },
  "comment": "OBX Segment Comments (Result)",
  "referenceRange": [
    {
      "text": "3.80-5.10"
    }
  ]
}
},
```

## Immunization

<b>Description</b>	Retrieves a patient's immunizations. <b>Note:</b> Only administered immunizations are supported for this resource.
<b>Method</b>	GET
<b>Supported Interactions</b>	<ul style="list-style-type: none"><li>• <a href="#">Search</a></li><li>• <a href="#">Read</a></li></ul>
<b>Response Format</b>	application/JSON

### Parameters

The following search parameters are supported for the Immunization resource.

**Note:** If no entries are available for the specified parameters, a 404 response code is received. For an example of this response, see "[Not Found Response](#)" on page 12.

Parameter	Description	Type	Req'd
patient	The patient's unique identifier. The patient identifier can be retrieved by performing a patient search. For more information, see " <a href="#">Patient</a> " on page 14.	string	Y
identifier	The unique identifier for a specific clinical entry. The clinical entry identifier can be retrieved by performing a search for a patient's immunizations.	string	N
startDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i> If a start date is specified, only entries with a clinically relevant date that occurs on or after the specified start date are returned. <b>Note:</b> A start date may be used with or without an end date.	date	N
endDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i> If an end date is specified, only entries with a clinically relevant date that occurs on or before the specified end date are returned. <b>Note:</b> An end date may be used with or without a start date.	date	N

## Response Fields

The following fields may appear in a JSON response for the Immunization resource.

Field	Description	Type	Cardinality
resourceType	Identifies the resource.	Immunization	1..1
id	The unique identifier for the clinical entry.	Identifier	1..1
status	Indicates the status of the vaccination event. Supported values included completed or entered-in-error.	code	1..1
notGiven	Indicates whether the vaccine was refused/not given. False is the only supported value.	boolean	1..1
vaccineCode	The vaccine that was administered.	CodeableConcept	1..1
patient	The patient associated with the vaccine, described by the patient's unique identifier preceded by <i>Patient/</i> .	Reference (Patient)	1..1
date	The date and time the vaccine was administered.	dateTime	0..1
location	The location (of the facility) where the vaccine was administered.	Reference (Location)	0..1
manufacturer	The vaccine's manufacturer.	Reference (Organization)	0..1
lotNumber	The vaccine's lot number.	string	0..1
expirationDate	The vaccine's expiration date.	date	0..1
site	The area of the body in which the vaccine was administered.	CodeableConcept	0..1
route	The path by which the vaccine was taken into the body.	CodeableConcept	0..1
doseQuantity	The quantity of the vaccine that was administered.	SimpleQuantity	0..1
practitioner	The individual who administered the vaccine.	Reference (Practitioner)	1..1

## Example Requests and Responses

**Note:** For information about the environments represented by *base\_url* in the examples below, see ["API Endpoints" on page 8](#).

### Read - Request

Returns a single immunization entry for the patient using the specified clinical entry identifier:

```
GET https://base_url/quanum-ehr-fhir-server/fhir/Immunization/2fcbe262a124016161d4173c2c92a6d9
```

### Read - Response (JSON)

```
{
  "resourceType": "Immunization",
  "id": "2fcbe262a124016161d4173c2c92a6d9",
  "status": "completed",
  "notGiven": false,
  "vaccineCode": {
    "coding": [
      {
        "system": "http://hl7.org/fhir/sid/cvx",
        "code": "03",
        "display": "measles/mumps/rubella virus vaccine"
      }
    ],
    "text": "M-M-R II - powder for injection"
  },
  "patient": {
    "reference": "Patient/2c92ba0d30aebc590130aeccad76001a"
  },
  "date": "2018-03-01T16:24:39+00:00",
  "location": {
    "display": "Mason"
  },
  "manufacturer": {
    "display": "Abbott Laboratories"
  },
  "lotNumber": "344",
  "expirationDate": "2010-12-02",
  "site": {
    "text": "Left Upper Arm - Lateral Aspect"
  },
  "route": {
    "coding": [
      {
        "system": "http://hl7.org/fhir/ValueSet/route-codes",
        "code": "IND",
        "display": "IND (Intradermal)"
      }
    ]
  }
}
```

```

},
"doseQuantity": {
  "value": 2
},
"practitioner": [
  {
    "actor": {
      "display": "Nishi A"
    }
  }
]
}

```

### Search - Request

Returns one or more immunization entries (as a bundle) for the patient in the specified date range:

```
GET https://base_url/quanum-ehr-fhir-server/fhir/Immunization?patient=
2c92ba0d30aebc590130aeccad76001a&startDate=2018-02-28&endDate=2018-03-01
```

### Search - Response (JSON)

```

{
  "resourceType": "Bundle",
  "id": "bdc6ba58-b7b6-4b8c-8bad-4e45210bf301",
  "meta": {
    "lastUpdated": "2018-03-15T18:59:34.798+00:00"
  },
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://base_url/quanum-ehr-fhir-server/fhir/Immunization?endDate=2018-03-01&
patient=2c92ba0d30aebc590130aeccad76001a&startDate=2018-02-28"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://base_url/quanum-ehr-fhir-server/fhir/Immunization/
2fcbe262a124016161d4173c2c92a6d9",
      "resource": {
        "resourceType": "Immunization",
        "id": "2fcbe262a124016161d4173c2c92a6d9",
        "status": "completed",
        "notGiven": false,
        "vaccineCode": {
          "coding": [
            {
              "system": "http://hl7.org/fhir/sid/cvx",
              "code": "03",

```

```

        "display": "measles/mumps/rubella virus vaccine"
    }
  ],
  "text": "M-M-R II - powder for injection"
},
"patient": {
  "reference": "Patient/2c92ba0d30aebc590130aeccad76001a"
},
"date": "2018-03-01T16:24:39+00:00",
"location": {
  "display": "Mason"
},
"manufacturer": {
  "display": "Abbott Laboratories"
},
"lotNumber": "344",
"expirationDate": "2010-12-02",
"site": {
  "text": "Left Upper Arm - Lateral Aspect"
},
"route": {
  "coding": [
    {
      "system": "http://hl7.org/fhir/ValueSet/route-codes",
      "code": "IND",
      "display": "IND (Intradermal)"
    }
  ]
},
"doseQuantity": {
  "value": 2
},
"practitioner": [
  {
    "actor": {
      "display": "Nishi A"
    }
  }
]
}
]
}

```

## Device

<b>Description</b>	Retrieves a patient's devices.
<b>Method</b>	GET
<b>Supported Interactions</b>	<ul style="list-style-type: none"><li>• <a href="#">Search</a></li><li>• <a href="#">Read</a></li></ul>
<b>Response Format</b>	application/JSON

### Parameters

The following search parameters are supported for the Device resource.

**Note:** If no entries are available for the specified parameters, a 404 response code is received. For an example of this response, see ["Not Found Response" on page 12](#).

Parameter	Description	Type	Req'd
patient	The patient's unique identifier. The patient identifier can be retrieved by performing a patient search. For more information, see <a href="#">"Patient" on page 14</a> .	string	Y
identifier	The unique identifier for a specific clinical entry. The clinical entry identifier can be retrieved by performing a search for a patient's devices.	string	N
startDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i>  If a start date is specified, only entries with a clinically relevant date that occurs on or after the specified start date are returned. <b>Note:</b> A start date may be used with or without an end date.	date	N
endDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i>  If an end date is specified, only entries with a clinically relevant date that occurs on or before the specified end date are returned. <b>Note:</b> An end date may be used with or without a start date.	date	N

## Response Fields

The following fields may appear in a JSON response for the Device resource.

Field	Description	Type	Cardinality
resourceType	Identifies the resource.	Device	1..1
id	The unique identifier for the clinical entry.	Identifier	1..1
status	The status of the device's availability. Supported values include active, inactive, entered-in-error, and unknown.	code	0..1
patient	The patient to whom the device is affixed, described by the patient's unique identifier preceded by <i>Patient/</i> .	Reference (Patient)	1..1
udi	The Unique Device Identifier (UDI) assigned to the device label or package.	BackboneElement	0..1
type	The code or identifier that indicates the kind of device.	CodeableConcept	0..1
lotNumber	The lot number assigned by the manufacturer.	string	0..1
manufacturer	The name of the device's manufacturer.	string	0..1
expirationDate	The date and time after which this device is no longer valid or should not be used (if applicable).	dateTime	0..1
version	The version of the device, if the device has multiple releases under the same model, or if the device is software or carries firmware.	string	0..1
note	Device notes and comments, such as descriptive information, usage information, or implantation information.	Annotation	0..*

## Example Requests and Responses

**Note:** For information about the environments represented by *base\_url* in the examples below, see ["API Endpoints" on page 8](#).

### Read - Request

Returns a single device entry for the patient using the specified clinical entry identifier:

```
GET https://base_url/quantum-ehr-fhir-server/fhir/Device/  
48988b8871d80161617626c02c92a6d9
```

## Read - Response (JSON)

```
{
  "resourceType": "Device",
  "id": "48988b8871d80161617626c02c92a6d9",
  "udi": {
    "deviceIdentifier": "M424400POD6S0",
    "name": "Embolization implant kit",
    "carrierHRF": "+M424400POD6S0/$$420020216LOT123456789012345/SXYZ456789012345678/16D20130202C"
  },
  "status": "active",
  "type": {
    "coding": [
      {
        "system": "http://snomed.info",
        "code": "468391005",
        "display": "Embolization implant kit (physical object)"
      }
    ]
  },
  "lotNumber": "LOT123456789012345",
  "manufacturer": "PENUMBRA, INC.",
  "manufactureDate": "2013-02-02T00:00:00+00:00",
  "expirationDate": "2020-02-02T00:00:00+00:00",
  "version": "400POD6S",
  "patient": {
    "reference": "Patient/2c92a6ba2de2b12c012ded437fca1f6e"
  }
}
```

## Search - Request

Returns one or more device entries (as a bundle) for the patient in the specified date range:

```
GET https://base_url/quantum-ehr-fhir-server/fhir/Device?patient=2c92a6ba2de2b12c012ded437fca1f6e&startDate=2017-01-01&endDate=2018-12-31
```

## Search - Response (JSON)

```
{
  "resourceType": "Bundle",
  "id": "581d58c8-8b23-4eac-99c5-d04450f7fcae",
  "meta": {
    "lastUpdated": "2018-03-08T16:19:36.404+00:00"
  },
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://base_url/quantum-ehr-fhir-server/fhir/Device?endDate=2018-12-31&"
    }
  ]
}
```

```

    patient=2c92a6ba2de2b12c012ded437fca1f6e&startDate=2017-01-01"
  }
],
"entry": [
  {
    "fullUrl": "https://base_url/quanum-ehr-fhir-server/fhir/Device/
      48988b8871d80161617626c02c92a6d9",
    "resource": {
      "resourceType": "Device",
      "id": "48988b8871d80161617626c02c92a6d9",
      "udi": {
        "deviceIdentifier": "M424400POD6S0",
        "name": "Embolization implant kit",
        "carrierHRF": "+M424400POD6S0/$$420020216LOT123456789012345/SXYZ456789012345678/
          16D20130202C"
      },
      "status": "active",
      "type": {
        "coding": [
          {
            "system": "http://snomed.info",
            "code": "468391005",
            "display": "Embolization implant kit (physical object)"
          }
        ]
      },
      "lotNumber": "LOT123456789012345",
      "manufacturer": "PENUMBRA, INC.",
      "manufactureDate": "2013-02-02T00:00:00+00:00",
      "expirationDate": "2020-02-02T00:00:00+00:00",
      "version": "400POD6S",
      "patient": {
        "reference": "Patient/2c92a6ba2de2b12c012ded437fca1f6e"
      }
    }
  }
]
}

```

## Goal

<b>Description</b>	Retrieves a patient's goals.
<b>Method</b>	GET
<b>Supported Interactions</b>	<ul style="list-style-type: none"><li>• <a href="#">Search</a></li><li>• <a href="#">Read</a></li></ul>
<b>Response Format</b>	application/JSON

### Parameters

The following search parameters are supported for the Goal resource.

**Note:** If no entries are available for the specified parameters, a 404 response code is received. For an example of this response, see ["Not Found Response" on page 12](#).

Parameter	Description	Type	Req'd
patient	The patient's unique identifier. The patient identifier can be retrieved by performing a patient search. For more information, see <a href="#">"Patient" on page 14</a> .	string	Y
identifier	The unique identifier for a specific clinical entry. The clinical entry identifier can be retrieved by performing a search for a patient's goals.	string	N
startDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i>  If a start date is specified, only entries with a clinically relevant date that occurs on or after the specified start date are returned. <b>Note:</b> A start date may be used with or without an end date.	date	N
endDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i>  If an end date is specified, only entries with a clinically relevant date that occurs on or before the specified end date are returned. <b>Note:</b> An end date may be used with or without a start date.	date	N

## Response Fields

The following fields may appear in a JSON response for the Goal resource.

Field	Description	Type	Cardinality
resourceType	Identifies the resource.	Goal	1..1
id	The unique identifier for the clinical entry.	Identifier	1..1
status	Indicates whether the goal has been reached and is still relevant. Accepted is the only supported value.	code	1..1
description	A coded or textual description of the goal.	CodeableConcept	1..1
subject	The patient associated with the goal, described by the patient's unique identifier preceded by <i>Patient/</i> .	Reference (Patient   Group   Organization)	1..1
note	Additional comments about the goal.	Annotation	0..*

## Example Requests and Responses

**Note:** For information about the environments represented by *base\_url* in the examples below, see ["API Endpoints" on page 8](#).

### Read - Request

Returns a single goal entry for the patient using the specified clinical entry identifier:

```
GET https://base_url/quantum-ehr-fhir-server/fhir/Goal/  
67f6119b45a70158580c8bfb2c92a6bb-2761
```

### Read - Response (JSON)

```
{  
  "resourceType": "Goal",  
  "id": "67f6119b45a70158580c8bfb2c92a6bb-2761",  
  "status": "accepted",  
  "description": {  
    "coding": [  
      {  
        "system": "http://snomed.info",  
        "code": "22495007",  
        "display": "Abnormal weight"  
      }  
    ]  
  },  
  "subject": {  
    "reference": "Patient/2c92a6ba2de2b12c012ded437fca1f6e"  
  },  
  "note": [  
    {  
      "text": "test"  
    }  
  ]  
}
```

## Search - Request

Returns one or more goal entries (as a bundle) for the patient in the specified date range:

```
GET https://base_url/quantum-ehr-fhir-server/fhir/Goal?patient=
2c92bb06542f05df01542f758f490011&startDate=2015-01-01&endDate=2018-02-28
```

## Search-Response (JSON)

**Note:** Only a portion of the response is included for this example.

```
{
  "resourceType": "Bundle",
  "id": "24aeac2a-fe6e-4ed9-ab9f-a78842380d30",
  "meta": {
    "lastUpdated": "2018-03-23T01:51:43.543+00:00"
  },
  "type": "searchset",
  "total": 9,
  "link": [
    {
      "relation": "self",
      "url": "https://base_url/quantum-ehr-fhir-server/fhir/Goal?endDate=2018-02-28&
        patient=2c92bb06542f05df01542f758f490011&startDate=2015-01-01"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://base_url/quantum-ehr-fhir-server/fhir/Goal/
        058a8f35b6330156568f25ce2c92bb06-2383",
      "resource": {
        "resourceType": "Goal",
        "id": "058a8f35b6330156568f25ce2c92bb06-2383",
        "status": "accepted",
        "description": {
          "coding": [
            {
              "system": "http://snomed.info",
              "code": "102533007",
              "display": "Excessive exercise"
            }
          ]
        },
        "subject": {
          "reference": "Patient/2c92bb06542f05df01542f758f490011"
        }
      }
    }
  ],
}
```

## Care Team

<b>Description</b>	Retrieves a patient's care team.
<b>Method</b>	GET
<b>Supported Interactions</b>	<a href="#">Search</a>
<b>Response Format</b>	application/JSON

### Parameters

The following search parameter is supported for the Care Team resource.

**Note:** If no entries are available for the specified parameters, a 404 response code is received. For an example of this response, see ["Not Found Response" on page 12](#).

Parameter	Description	Type	Req'd
patient	The patient's unique identifier. The patient identifier can be retrieved by performing a patient search. For more information, see <a href="#">"Patient" on page 14</a> .	string	Y

### Response Fields

The following fields may appear in a JSON response for the Care Team resource.

Field	Description	Type	Cardinality
resourceType	Identifies the resource.	CareTeam	1..1
id	The unique identifier for the clinical entry.	Identifier	1..1
category	Identifies the type of team.	CodeableConcept	0..*
subject	Identifies the patient or group whose care is handled by the team.	Reference(Patient   Group)	1..1
participant	Identifies all people and organizations who are part of the care team.	BackboneElement	0..*

### Example Request and Response

**Note:** For information about the environments represented by *base\_url* in the examples below, see ["API Endpoints" on page 8](#).

#### Search - Request

Returns one or more care team entries (as a bundle) for the patient:

```
GET https://base_url/quantum-ehr-fhir-server/fhir/CareTeam?patient=2c92a6bb201a831601201ab4fb140023
```

## Search - Response (JSON)

```
{
  "resourceType": "Bundle",
  "id": "e5ab9a8a-d0d7-41cb-8a58-a004b6b3e8e3",
  "meta": {
    "lastUpdated": "2018-03-08T15:42:55.018+00:00"
  },
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://base_url/quantum-ehr-fhir-server/fhir/CareTeam?patient=2c92a6bb201a831601201ab4fb140023"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://base_url/quantum-ehr-fhir-server/fhir/CareTeam/2c92a6bb201a831601201ab4fb140023",
      "resource": {
        "resourceType": "CareTeam",
        "id": "2c92a6bb201a831601201ab4fb140023",
        "category": [
          {
            "coding": [
              {
                "system": "http://hl7.org/fhir/care-team-category",
                "code": "care-team",
                "display": "Care Team"
              }
            ],
            "text": "Care Team"
          }
        ],
        "subject": {
          "reference": "Patient/2c92a6bb201a831601201ab4fb140023"
        },
        "participant": [
          {
            "role": {
              "text": "supervisor"
            },
            "member": {
              "display": " lname"
            },
            "onBehalfOf": {
              "reference": "sample and sample"
            }
          }
        ]
      }
    }
  ]
}
```

```

    },
    {
      "role": {
        "text": "role1"
      },
      "member": {
        "display": "john fuller "
      }
    },
    {
      "role": {
        "text": "provider"
      },
      "onBehalfOf": {
        "reference": "Demo Health Assoc"
      }
    },
    {
      "role": {
        "text": "role1"
      },
      "member": {
        "display": "john cena"
      }
    },
    {
      "role": {
        "text": "supervisor2"
      },
      "member": {
        "display": "steve austin"
      },
      "onBehalfOf": {
        "reference": "Demo Health Assoc"
      }
    }
  ]
}
]
}

```

## Health Concerns

<b>Description</b>	Retrieves a patient's health concerns. <b>Note:</b> The HealthConcerns resource is an implementation of the FHIR Condition resource.
<b>Method</b>	GET
<b>Supported Interactions</b>	<ul style="list-style-type: none"><li>• <a href="#">Search</a></li><li>• <a href="#">Read</a></li></ul>
<b>Response Format</b>	application/JSON

### Parameters

The following search parameters are supported for the Health Concerns resource.

**Note:** If no entries are available for the specified parameters, a 404 response code is received. For an example of this response, see ["Not Found Response" on page 12](#).

Parameter	Description	Type	Req'd
patient	The patient's unique identifier. The patient identifier can be retrieved by performing a patient search. For more information, see <a href="#">"Patient" on page 14</a> .	string	Y
identifier	The unique identifier for a specific clinical entry. The clinical entry identifier can be retrieved by performing a search for a patient's health concerns.	string	N
startDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i> If a start date is specified, only entries with a clinically relevant date that occurs on or after the specified start date are returned. <b>Note:</b> A start date may be used with or without an end date.	date	N
endDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i> If an end date is specified, only entries with a clinically relevant date that occurs on or before the specified end date are returned. <b>Note:</b> An end date may be used with or without a start date.	date	N

## Response Fields

The following fields may appear in a JSON response for the Health Concerns resource.

Field	Description	Type	Cardinality
resourceType	Identifies the resource.	HealthConcerns	1..1
id	The unique identifier for the clinical entry.	Identifier	1..1
category	Classifies the data as being a health concern.	CodeableConcept	1..1
code	A textual description of the health concern.	CodeableConcept	0..1
subject	The patient associated with the health concern, described by the patient's unique identifier preceded by <i>Patient/</i> .	Reference (Patient   Group)	1..1

## Example Requests and Responses

**Note:** For information about the environments represented by *base\_url* in the examples below, see ["API Endpoints" on page 8](#).

### Read - Request

Returns a single health concern entry for the patient using the specified clinical entry identifier:

```
GET https://base_url/quantum-ehr-fhir-server/fhir/HealthConcerns/  
618978939ee00161617626c02c92a6d9
```

### Read - Response (JSON)

```
{  
  "resourceType": "HealthConcerns",  
  "id": "618978939ee00161617626c02c92a6d9",  
  "meta": {  
    "profile": [  
      "http://hl7.org/fhir/Condition"  
    ]  
  },  
  "category": [  
    {  
      "coding": [  
        {  
          "system": "https://www.hl7.org/fhir/condition.html",  
          "code": "Concern",  
          "display": "Health Concern"  
        }  
      ],  
      "text": "Health Concern"  
    }  
  ],  
  "code": {  
    "text": "Patient Health Concern: chief complaints on first encounter, presenting problems at
```

```

    local hospital emergency department, etc"
  },
  "subject": {
    "reference": "Patient/2c92a6bb201a831601201ab4fb140023"
  }
}

```

## Search - Request

Returns one or more health concern entries (as a bundle) for the patient in the specified date range:

```
GET https://base_url/quanum-ehr-fhir-server/fhir/HealthConcerns?patient=
2c92a6bb201a831601201ab4fb140023&startDate=2018-01-01&endDate=2018-02-16
```

## Search - Response (JSON)

**Note:** Only a portion of the response is included for this example.

```

{
  "resourceType": "Bundle",
  "id": "6349e6d6-6b09-4a1a-9886-0687fce66ed3",
  "meta": {
    "lastUpdated": "2018-03-23T02:05:26.384+00:00"
  },
  "type": "searchset",
  "total": 3,
  "link": [
    {
      "relation": "self",
      "url": "https://base_url/quanum-ehr-fhir-server/fhir/HealthConcerns?endDate=
2018-02-16&patient=2c92a6bb201a831601201ab4fb140023&startDate=2018-01-01"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://base_url/quanum-ehr-fhir-server/fhir/HealthConcerns/
0608956c22ac016161951cb52c92a6d9",
      "resource": {
        "resourceType": "HealthConcerns",
        "id": "0608956c22ac016161951cb52c92a6d9",
        "meta": {
          "profile": [
            "http://hl7.org/fhir/Condition"
          ]
        },
        "category": [
          {
            "coding": [
              {
                "system": "https://www.hl7.org/fhir/condition.html",
                "code": "Concern",

```

```
        "display": "Health Concern"
      }
    ],
    "text": "Health Concern"
  }
],
"code": {
  "text": "health concern value"
},
"subject": {
  "reference": "Patient/2c92a6bb201a831601201ab4fb140023"
}
},
```

## Assessments

<b>Description</b>	Retrieves a patient's assessments. <b>Note:</b> The Assessments resource is an implementation of the FHIR ClinicalImpression resource.
<b>Method</b>	GET
<b>Supported Interactions</b>	<ul style="list-style-type: none"><li>• <a href="#">Search</a></li><li>• <a href="#">Read</a></li></ul>
<b>Response Format</b>	application/JSON

### Parameters

The following search parameters are supported for the Assessments resource.

**Note:** If no entries are available for the specified parameters, a 404 response code is received. For an example of this response, see "[Not Found Response](#)" on page 12.

Parameter	Description	Type	Req'd
patient	The patient's unique identifier. The patient identifier can be retrieved by performing a patient search. For more information, see " <a href="#">Patient</a> " on page 14.	string	Y
identifier	The unique identifier for a specific clinical entry. The clinical entry identifier can be retrieved by performing a search for a patient's assessments.	string	N
startDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i> If a start date is specified, only entries with a clinically relevant date that occurs on or after the specified start date are returned. <b>Note:</b> A start date may be used with or without an end date.	date	N
endDate	A date used to filter entries by clinically relevant date, in the following format: <i>yyyy-mm-dd</i> If an end date is specified, only entries with a clinically relevant date that occurs on or before the specified end date are returned. <b>Note:</b> An end date may be used with or without a start date.	date	N

## Response Fields

The following fields may appear in a JSON response for the Assessments resource.

Field	Description	Type	Cardinality
resourceType	Identifies the resource.	Assessments	1..1
id	The unique identifier for the assessment, made up of the clinical entry identifier followed by a - (hyphen) and the assessment identifier.	Identifier	1..1
status	The status of the assessment. Completed is the only supported value.	code	1..1
description	The recorded assessment text.	string	0..1
subject	The patient associated with the assessment, described by the patient's unique identifier preceded by <i>Patient/</i> .	Reference (Patient   Group)	1..1
date	The date and time the assessment was recorded.	dateTime	0..1
assessor	The clinician or provider who performed the assessment.	Reference (Practitioner)	0..1

## Example Requests and Responses

**Note:** For information about the environments represented by *base\_url* in the examples below, see ["API Endpoints" on page 8](#).

### Read - Request

Returns a single assessment entry for the patient using the specified assessment identifier:

```
GET https://base_url/quantum-ehr-fhir-server/fhir/Assessments/1fd0070e62b4016262062c4e2c92a6d9-3001
```

### Read - Response (JSON)

```
{
  "resourceType": "Assessments",
  "id": "1fd0070e62b4016262062c4e2c92a6d9-3001",
  "meta": {
    "profile": [
      "http://hl7.org/fhir/ClinicalImpression"
    ]
  },
  "text": {
    "status": "additional",
    "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><p>assessment intervention free text</p><p>Intervention Performed: Tobacco use cessation counseling, Pregnancy smoking education</p><p>Intervention Order: Dietary Recommendations, Patient referral to dietitian (procedure)</p></div>"
  },
}
```

```

"status": "completed",
"description": "assessment in side the plan of care and in db",
"subject": {
  "reference": "Patient/ff8081812dd49942012dd4a455780002"
},
"date": "2018-03-08T00:00:00+00:00",
"assessor": {
  "display": "Dr. Rakesh Raushan MD"
}
}

```

## Search - Request

### Request

Returns one or more assessment entries (as a bundle) for the patient in the specified date range:

```

GET https://base_url/quanum-ehr-fhir-server/fhir/Assessments?patient=
2c92a6bb201a831601201ab4fb140023&startDate=2014-07-07&endDate=2016-07-20

```

### Search - Response (JSON)

**Note:** Only a portion of the response is included for this example.

```

{
  "resourceType": "Bundle",
  "id": "6c4e2dfe-9378-44ee-80e0-763e0e52de13",
  "meta": {
    "lastUpdated": "2018-03-13T19:27:05.946+00:00"
  },
  "type": "searchset",
  "total": 5,
  "link": [
    {
      "relation": "self",
      "url": "https://base_url/quanum-ehr-fhir-server/fhir/Assessments?endDate=2016-07-20&
patient=2c92a6bb201a831601201ab4fb140023&startDate=2014-07-07"
    }
  ],
  "entry": [
    {
      "fullUrl": "https://base_url/quanum-ehr-fhir-server/fhir/Assessments/
ff80818147160f1e0147171c03235b69-1081",
      "resource": {
        "resourceType": "Assessments",
        "id": "ff80818147160f1e0147171c03235b69-1081",
        "meta": {
          "profile": [
            "http://hl7.org/fhir/ClinicalImpression"
          ]
        },
        "text": {

```

```
"status": "additional",
"div": "<div xmlns=\\"http://www.w3.org/1999/xhtml\"><p>Intervention Performed: Tobacco
      use cessation counseling, Referral to stop-smoking clinic</p><p>Intervention
      Performed: Tobacco use cessation counseling, Stop smoking monitoring first
      letter</p></div>"
},
"status": "completed",
"subject": {
  "reference": "Patient/2c92a6bb201a831601201ab4fb140023"
},
"date": "2014-07-08T00:00:00+00:00",
"assessor": {
  "display": "santosh gangula"
}
}
},
```

## Document Reference (All Patient Data)

<b>Description</b>	Retrieves a CCDA document containing all of the patient's data for the supported resources.
<b>Method</b>	GET
<b>Supported Interactions</b>	<a href="#">Read</a>
<b>Response Format</b>	application/JSON

### Response Fields

The following fields may appear in a JSON response for the Document Reference resource.

Field	Description	Type	Cardinality
resourceType	Identifies the resource.	DocumentReference	1..1
id	The patient's unique identifier.	Identifier	1..1
status	The status of the document reference. Current is the only supported value.	code	1..1
type	Identifies the kind of document being referenced.	CodeableConcept	1..1
subject	The patient associated with the document, described by the patient's unique identifier preceded by <i>Patient/</i> .	Reference(Patient   Practitioner   Group   Device)	1..1
indexed	The date and time the document reference was created.	instant	1..1
content	The MIME type of the content and the referenced document (Base64 encoded, compressed CCDA).	BackboneElement	1..1

### Example Request and Response

**Note:** For information about the environments represented by *base\_url* in the examples below, see ["API Endpoints" on page 8](#).

#### Read - Request

Returns a CCDA using the specified patient identifier:

**Note:** The patient identifier can be retrieved by performing a patient search. For more information, see ["Patient" on page 14](#).

```
GET https://base_url/quantum-ehr-fhir-server/fhir/DocumentReference/  
2c92bb06542f05df01542f758f490011
```

## Read - Response (JSON)

```
{
  "resourceType": "DocumentReference",
  "id": "2c92bb06542f05df01542f758f490011",
  "status": "current",
  "type": {
    "coding": [
      {
        "system": "http://loinc.org",
        "code": "48764-5",
        "display": "Summary purpose CCD Document"
      }
    ],
    "text": "CCD Document"
  },
  "subject": {
    "reference": "Patient/2c92bb06542f05df01542f758f490011"
  },
  "indexed": "2018-03-20T17:42:11.961+00:00",
  "content": [
    {
      "attachment": {
        "contentType": "application/zip",
        "data": "ZUp6dGZlMTMyQNHk0L0U5Qk5Yy8xUzB" [Actual value shortened]
      }
    }
  ]
}
```

# Legal Notices

## *COPYRIGHT NOTICE*

Quest Diagnostics Corporate Headquarters, 500 Plaza Drive, Secaucus, New Jersey 07094, U.S.A.

© 2000 – 2018 Quest Diagnostics. All Rights Reserved.

This document is protected by copyright and distributed under licenses restricting its use, copying and distribution. Parties to a user agreement with Quest Diagnostics for the software described in this document are granted permission to use and reproduce portions of this document solely for their internal training requirements, provided that this copyright notice and other proprietary notices appears in all copies. Except as provided in this paragraph, no part of this document may be reproduced or transmitted in any form or by any means without the express written permission of Quest Diagnostics.

CPT copyright 2017 American Medical Association. All rights reserved.

Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

## *TRADEMARKS*

Quest, Quest Diagnostics, the associated logo, Nichols Institute and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics.

CPT is a registered trademark of the American Medical Association.

All third party marks—® and ™—are the property of their respective owners.

## *DISCLAIMER OF WARRANTIES*

THIS DOCUMENT IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. QUEST DIAGNOSTICS DOES NOT WARRANT THE ACCURACY OR COMPLETENESS OF THE INFORMATION, TEXT, GRAPHICS OR OTHER ITEMS CONTAINED WITHIN THESE MATERIALS. IN NO EVENT SHALL QUEST DIAGNOSTICS AND/OR ITS SUPPLIERS BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOSS OF USE, DATA OR PROFITS, WHICH MAY ARISE OUT OF OR IN CONNECTION WITH THE USE OF THESE MATERIALS.

THIS DOCUMENT COULD INCLUDE TECHNICAL INACCURACIES OR TYPOGRAPHICAL ERRORS. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PERIODICALLY CHANGED WITHOUT NOTICE. QUEST DIAGNOSTICS MAY MAKE IMPROVEMENTS AND/OR CHANGES IN THE PRODUCT(S) AND/OR THE SOFTWARE DESCRIBED IN THIS DOCUMENT AT ANY TIME.

## *RESTRICTED RIGHTS LEGEND*

All Quest Diagnostics products and publications are commercial in nature. Use, duplication, or disclosure by the U.S. Government is subject to restrictions of FAR 52.227-14 and FAR 52.227-19, or DFAR 252.227-7015 and DFAR 227.7202-3.

Any rights not expressly granted herein are reserved.

